# Index for Volume 82

**AUTHOR AND SUBJECT INDEX.** Page numbers of illustrations are in parentheses. Pages indicating errata are in italic.


Abad, J. A., 300, 1070, 1174
Abad, Z. G., 1123
Abawi, G. S., 243, 1069
Abbas, H. K., 1063, 1086, 1099, 1112
Abbasi, P. P., 1156
Abbott, J. A., 1138
Abd-El-Moity, T. H., 1159
Abd-El-Rahim, M. F., 1159
Abdalla, O., 919
Abdel-Kader, M. M., 1106
Abdel-Mawgood, A. L., 990
Abeywickrama, K., 718
Abomo-Ndongo, S., 1152
Abouzid, A. M., 1070, 1145
Abstracts
—annual meeting, 1063, 1383
—Caribbean Division, 607, 807
—North Central Division, 990
—Northeastern Division, 241
—Potomac Division, 718, 1257
—Southern Division, 496
Achor, D., 608, 1078, 1319
*Acremonium* spp., genetic similarity in and among genes, 1066
—*A. coenophialum*: on tall fescue, effect on seedling diseases, 1089; on tall fescue, *Glomus* suppressed by, 1091
*Actinoplanes* spp.
—strains, fungicide effect, 1180
—zoospores, chemotaxis to *Pythium*, 1180
*Acyrthosiphon* spp., watermelon mosaic virus 2 and zucchini yellow mosaic virus vector, 235
Adams, P., 1120
Adamsen, F. J., 1107
Adaskaveg, J. E., 1063, 1064, 1093, 1158
Adee, E. A., 1158
Adeyeye, O., 500
Adhikari, T. B., 1153
Adkins, S. T., 230
Adonizio, C. S., 1147
*Aegilops* spp., wheat leaf rust of, in Israel, 1140
Agapov, V., 1179
*Agaricus bisporus*, La France disease, electrophoretic pattern of dsRNA and viruslike particles, 285, (288)
Agostini, J. P., 1084, 1377
Agrios, G. N., 32
*Agrobacterium* spp.
—*A. radiobacter*, cherry tree tumors treated with, 1124
—*A. tumefaciens*: agrocinopine catabolic region of, genes encoding, 992; on grape explants, necrogenesis induced, 1066; mannopine and agropine catabolism, genes involved, 993; on pine, gall formation factors, 1457, (1459); plasmid pTiC58, transfer region organization, 991; strain detection using polymerase chain reaction, 434; Ti plasmid conjugal transfer, regulation, 994; transformation, protocol analysis, 1167; transformation mediated by, chitinase genes in carrot and cucumber, 1167
Agrostini, J. P., 607
Aharoni, Y., 1092
Ahmed, H. U., 1113
Ahrens, U., 828
Aigbokhan, E. I., 1108
Air pollution (see Ozone)
Aist, J. R., 1127
Ajlan, A. M., 647
Akem, C. N., 1098
Akimitsu, K., 1100
*Albugo candida*, sexual recombination and mating behavior, 1159
Alderman, S. C., 196, 1072
Alexander, J. D., 1159
Alexander, S. A., 718, 1117
Alfalfa
—chrysanthemum foliar nematode on, resistance, 1095
—clover root curculio injury in, fungal root rot correlation, 245
—foliar diseases, potassium effect, 1079
—foliar pathogens, population dynamics in Iowa, 1107
—Fusarium root and crown rot of, in Delaware, 719
—medicarpin, effect on mycelium, 1126
—root system morphology, *Pythium* relation, 1114
—seed infestation, seedling infection, 1146
—seedling blight, integrated control, 1129
—*Verticillium albo-atrum*, resistance and carbon assimilation, 1141
—Verticillium wilt: interaction with salinity, yield effect, 1158; seed sizing and heat treatment effect, 1168
Algae, in forested wetland, population dynamics, 1134
Ali, S., 1068, 1159
Allaire, B., 1065
Allen, J. E., 1096
Almond, hull rot, irrigation effect, 1084
Aloi, C., 1064
Alrefai, R. H., 1174
*Alstroemeria* sp., new virus in USA, 722
*Alternaria* spp.
—*A. alternata*: on chili pepper, infection rate and fruit maturity, 1064; fumonisin production, 1063; toxin from, toxicity to weeds, 1086
—*A. brassicicola*, cutinases, characterization, 1085
—*A. cassiae*, bioherbicide in hydroponic bioassay, 1154
—*A. cucumerina*, on muskmelon, temperature and leaf wetness model, 890
—*A. mali*, on apple, leaf infection factors, 1279
—*A. radicina*, selective medium for, 1092
—*A. solani*: *A. alternata* comparison, isozyme variability, 1343; on potato, model for loss, 363
Altomare, C., 1145
Alvarez, A. M., 677, 1144, 1154, 1177, 1178
Amador, J. M., 609
*Amanita* spp., *Lepidella* section, taxon observations, 1114
*Amaranthus cruentus*, damping-off, biocontrol agents, 1157
American Phytopathological Society
—abstracts (see Abstracts)
—annual report, 7
—award list, 59
—Ciba-Geigy Award, 56
—Distinguished Service Award, 58
—Extension Award, 54
—Fellows, 46
—Lee M. Hutchins Award, 57
—officers, representatives, and committees, 43
—plenary session: W. D. Carpenter, 38; C. E. Hess, 40
—president's forum, L. R. Nault, 35
—presidential address, G. N. Agrios, 32
—Ruth Allen Award, 55
Ammon, V. D., 1135
*Ampelomyces quisqualis*, parasite on *Uncinula necator*, survival, 1119
An, Z.-Q., 496, 1091
Anderson, A. J., 1120, 1126
Anderson, C. S., 1180
Anderson, J. B., 875
Anderson, N. A., 1108, 1166
Andrews, J. H., 1178
Anikster, Y., 705, 1140
*Anisogramsa anomala*, on eastern filbert, temperature effect, 1132
Anjos, J. R., 1022
Annis, S. L., 1101
*Anthurium*, blight of, monoclonal antibody tests for strains of pathogen, 677
Antoniou, P., 1076
*Aphanomyces* spp.
—*A. cochlioides*, on spinach, yield loss effect, 403
—*A. euteiches*, oospore germination, in root zones, 1172
*Aphis* spp., watermelon mosais virus 2 and zucchini yellow mosaic virus vector, 235
Appel, D. J., 1124
Appel, D. N., 1097
Apple
—Alternaria blotch: interaction with *Panonychus ulmi*, 1105; leaf infection factors, 1279
—blue mold: biocontrol, 1063; biocontrol enhancement using nutrition, 1364
—crown gall, Copac E and Terramycin for control, 1153
—decay and firmness, calcium and heat treatment, 1138
—postharvest diseases of, biocontrol, 1064
—root and crown rots, fungicides for, 1157
—scab: benomyl-resistant strains, oligonucleotide probes for detection, 1354; benomyl-resistant strains and mutation, 1348; spray program for, 248
—sooty blotch and flyspeck of, summer pruning effect, 1075
Apple mosaic virus
—coat protein cistron, characterization, 1110
—nucleotide sequence, 1174
—on hazelnut: detection and elimination, 1133; seed transmission, 1133
Apple scar skin viroid, detection using tissue blot and dot blot hybridization, 1173
Apricot, Verticillium wilt, polyethylene mulch for, 1115
Aquino, V. M., 546
*Arabidopsis thaliana*, cauliflower mosaic virus on, symptom variation, 1042, (1043, 1044)
Aragaki, M., 1129, 1161, 1164
Arancibia, R. A., 1103
Arevalo-Guerra, M., 245
Arias, I., 241
Arimoto, Y., 310
*Armillaria* spp.: acid phosphatase activity, extract effects, 1165; in Africa, 1152; basidiome morphology, in Korea, 1152; biochemical taxonomy, 1151; clonal development, 1152; clone delineation, 1152;

# Index for Volume 82

**AUTHOR AND SUBJECT INDEX.** Page numbers of illustrations are in parentheses. Pages indicating errata are in italic.


Abad, J. A., 300, 1070, 1174
Abad, Z. G., 1123
Abawi, G. S., 243, 1069
Abbas, H. K., 1063, 1086, 1099, 1112
Abbasi, P. P., 1156
Abbott, J. A., 1138
Abd-El-Moity, T. H., 1159
Abd-El-Rahim, M. F., 1159
Abdalla, O., 919
Abdel-Kader, M. M., 1106
Abdel-Mawgood, A. L., 990
Abeywickrama, K., 718
Abomo-Ndongo, S., 1152
Abouzid, A. M., 1070, 1145
Abstracts
—annual meeting, 1063, 1383
—Caribbean Division, 607, 807
—North Central Division, 990
—Northeastern Division, 241
—Potomac Division, 718, 1257
—Southern Division, 496
Achor, D., 608, 1078, 1319
*Acremonium* spp., genetic similarity in and among genes, 1066
—*A. coenophialum*: on tall fescue, effect on seedling diseases, 1089; on tall fescue, *Glomus* suppressed by, 1091
*Actinoplanes* spp.
—strains, fungicide effect, 1180
—zoospores, chemotaxis to *Pythium*, 1180
*Acyrthosiphon* spp., watermelon mosaic virus 2 and zucchini yellow mosaic virus vector, 235
Adams, P., 1120
Adamsen, F. J., 1107
Adaskaveg, J. E., 1063, 1064, 1093, 1158
Adee, E. A., 1158
Adeyeye, O., 500
Adhikari, T. B., 1153
Adkins, S. T., 230
Adonizio, C. S., 1147
*Aegilops* spp., wheat leaf rust of, in Israel, 1140
Agapov, V., 1179
*Agaricus bisporus*, La France disease, electrophoretic pattern of dsRNA and viruslike particles, 285, (288)
Agostini, J. P., 1084, 1377
Agrios, G. N., 32
*Agrobacterium* spp.
—*A. radiobacter*, cherry tree tumors treated with, 1124
—*A. tumefaciens*: agrocinopine catabolic region of, genes encoding, 992; on grape explants, necrogenesis induced, 1066; mannopine and agropine catabolism, genes involved, 993; on pine, gall formation factors, 1457, (1459); plasmid pTiC58, transfer region organization, 991; strain detection using polymerase chain reaction, 434; Ti plasmid conjugal transfer, regulation, 994; transformation, protocol analysis, 1167; transformation mediated by, chitinase genes in carrot and cucumber, 1167
Agrostini, J. P., 607
Aharoni, Y., 1092
Ahmed, H. U., 1113
Ahrens, U., 828
Aigbokhan, E. I., 1108
Air pollution (see Ozone)
Aist, J. R., 1127
Ajlan, A. M., 647
Akem, C. N., 1098
Akimitsu, K., 1100
*Albugo candida*, sexual recombination and mating behavior, 1159
Alderman, S. C., 196, 1072
Alexander, J. D., 1159
Alexander, S. A., 718, 1117
Alfalfa
—chrysanthemum foliar nematode on, resistance, 1095
—clover root curculio injury in, fungal root rot correlation, 245
—foliar diseases, potassium effect, 1079
—foliar pathogens, population dynamics in Iowa, 1107
—Fusarium root and crown rot of, in Delaware, 719
—medicarpin, effect on mycelium, 1126
—root system morphology, *Pythium* relation, 1114
—seed infestation, seedling infection, 1146
—seedling blight, integrated control, 1129
—*Verticillium albo-atrum*, resistance and carbon assimilation, 1141
—Verticillium wilt: interaction with salinity, yield effect, 1158; seed sizing and heat treatment effect, 1168
Algae, in forested wetland, population dynamics, 1134
Ali, S., 1068, 1159
Allaire, B., 1065
Allen, J. E., 1096
Almond, hull rot, irrigation effect, 1084
Aloi, C., 1064
Alrefai, R. H., 1174
*Alstroemeria* sp., new virus in USA, 722
*Alternaria* spp.
—*A. alternata*: on chili pepper, infection rate and fruit maturity, 1064; fumonisin production, 1063; toxin from, toxicity to weeds, 1086
—*A. brassicicola*, cutinases, characterization, 1085
—*A. cassiae*, bioherbicide in hydroponic bioassay, 1154
—*A. cucumerina*, on muskmelon, temperature and leaf wetness model, 890
—*A. mali*, on apple, leaf infection factors, 1279
—*A. radicina*, selective medium for, 1092
—*A. solani*: *A. alternata* comparison, isozyme variability, 1343; on potato, model for loss, 363
Altomare, C., 1145
Alvarez, A. M., 677, 1144, 1154, 1177, 1178
Amador, J. M., 609
*Amanita* spp., *Lepidella* section, taxon observations, 1114
*Amaranthus cruentus*, damping-off, biocontrol agents, 1157
American Phytopathological Society
—abstracts (see Abstracts)
—annual report, 7
—award list, 59
—Ciba-Geigy Award, 56
—Distinguished Service Award, 58
—Extension Award, 54
—Fellows, 46
—Lee M. Hutchins Award, 57
—officers, representatives, and committees, 43
—plenary session: W. D. Carpenter, 38; C. E. Hess, 40
—president's forum, L. R. Nault, 35
—presidential address, G. N. Agrios, 32
—Ruth Allen Award, 55
Ammon, V. D., 1135
*Ampelomyces quisqualis*, parasite on *Uncinula necator*, survival, 1119
An, Z.-Q., 496, 1091
Anderson, A. J., 1120, 1126
Anderson, C. S., 1180
Anderson, J. B., 875
Anderson, N. A., 1108, 1166
Andrews, J. H., 1178
Anikster, Y., 705, 1140
*Anisogramsa anomala*, on eastern filbert, temperature effect, 1132
Anjos, J. R., 1022
Annis, S. L., 1101
*Anthurium*, blight of, monoclonal antibody tests for strains of pathogen, 677
Antoniou, P., 1076
*Aphanomyces* spp.
—*A. cochlioides*, on spinach, yield loss effect, 403
—*A. euteiches*, oospore germination, in root zones, 1172
*Aphis* spp., watermelon mosais virus 2 and zucchini yellow mosaic virus vector, 235
Appel, D. J., 1124
Appel, D. N., 1097
Apple
—Alternaria blotch: interaction with *Panonychus ulmi*, 1105; leaf infection factors, 1279
—blue mold: biocontrol, 1063; biocontrol enhancement using nutrition, 1364
—crown gall, Copac E and Terramycin for control, 1153
—decay and firmness, calcium and heat treatment, 1138
—postharvest diseases of, biocontrol, 1064
—root and crown rots, fungicides for, 1157
—scab: benomyl-resistant strains, oligonucleotide probes for detection, 1354; benomyl-resistant strains and mutation, 1348; spray program for, 248
—sooty blotch and flyspeck of, summer pruning effect, 1075
Apple mosaic virus
—coat protein cistron, characterization, 1110
—nucleotide sequence, 1174
—on hazelnut: detection and elimination, 1133; seed transmission, 1133
Apple scar skin viroid, detection using tissue blot and dot blot hybridization, 1173
Apricot, Verticillium wilt, polyethylene mulch for, 1115
Aquino, V. M., 546
*Arabidopsis thaliana*, cauliflower mosaic virus on, symptom variation, 1042, (1043, 1044)
Aragaki, M., 1129, 1161, 1164
Arancibia, R. A., 1103
Arevalo-Guerra, M., 245
Arias, I., 241
Arimoto, Y., 310
*Armillaria* spp.: acid phosphatase activity, extract effects, 1165; in Africa, 1152; basidiome morphology, in Korea, 1152; biochemical taxonomy, 1151; clonal development, 1152; clone delineation, 1152;

monoclonal antibodies for identification, in Europe, 1152; on pine, patch dynamics, 1153; root disease indicator, forest health monitoring program, 1152; on tea, in Kenya plantations, 1151; vegetative incompatibility and sexual systems, 1152
—*A. ostoyae*: on lodgepole pine, fertilizer effect, 1151; on red pine, epidemiology in plantations, 1152; on western conifers, root bark chemical constituents, 393
—*A. tabescens*, on peach and plum, germ plasm resistance, 1133
Arneson, C. P., 1161
Aron, L. M., 1244
Arroyo, T., 1105, 1163
Arrue, R. D., 1158
*Arthrobotrys* spp., nematodes parasitized by, 615, (617)
Arul, J., 398
Asay, K. H., 1096
*Ascochyta rabiei*
—on chickpea: factors, 589; resistance, toxin, 1093
Ascomycete, leaf-inhabiting, observations in Venezuela, 608
Ash
—decline, etiology, 1170
—Verticillium wilt, detection, 1097
Ash, C. L., 1097
Asparagus
—Fusarium crown and root rot of, sodium chloride suppression, 97
—*Fusarium* infection, conidial production, 1092
—rhizobacteria in roots of, yield and salt application, 242
Aspen, Hypoxylon stem canker of, spore role as propagules, 114, (116, 117)
*Aspergillus* spp.: aflatoxin production, iturin A effect, 1147; aflatoxin-producing strains, DNA amplified, 1080; relatedness using PCR, 1145
—*A. flavus*: aflatoxin biosynthesis in, *afl*-2 gene role, 1077; on corn, hybrid evaluation, 990; on corn, kernel infection, 1072; in corn fields, ecology in Iowa, 1134; on cotton, oxygen consumption, 1127; in cotton bolls, spread, decay, and fungal pectinases, 462; inoculum source on corn, 1134; linkage groups, genetic markers, 1077; pectinase activity, intra- and extracellular, 1165; in soil, cotton field populations, 1064; volatile compounds in cultures of, 1137
—*A. parasiticus*, aflatoxin B1 biosynthesis, *nar* gene, 1150
Asselin, A., 398
Audley, D. E., 241
Auld, B. A., 1443
*Aureobasidium pullulans*, on leaf surfaces, glucuronidase gene system, 1178
Autio, W. A., 1075
Autrey, L. J. C., 691
Averre, C. W., 670
Awad, A. E., 1108
Axelrood, P. E., 1096, 1136, 1137
Aylor, D. E., 532
Azalea, *Phytophthora parasitica* on cuttings, factors, 1106
Azzam, O., 1070

Baasiri, R., 1115
Babcock, M. J., 1153
Bacchi, L. M., 1162
Bacher, J. W., 1102
Bachi, P. R., 1106
Bachman, E. J., 1174
Backman, P. A., 496, 500, 1099, 1107, 1177, 1178
Bacon, C. W., 1166
Bacteria
—chitinolytic, antagonistic to fungi, 1074
—endophytic, introduction method on corn and cotton, 1128
—hypersensitive reaction, pH changes, 1165
—ice nucleation, molecular evolution, 1102
—on leaf surfaces, chitinase activity, populations, 1178
—oligonucleotide probes for detection, 1179
—rhizosphere-competent, glutathione S-transferase activity, 1067
—rifampicin-resistant phenotype, masking, 1177
—streptomycin resistance, plasmid and transposon-mediated, 1100
—Tn7::*lac* ZY construct, 1179
Baculovirus, recombinant, potyvirus helper component, 1110
Bada, R., 1176
Badnaviruses, detection and analysis, PCR technology, 1087
Bai, J., 1076
Bailey, J. E., 1072
Bailey, L., 1154
Bains, P. S., 1076
Baird, R. E., 990, 1107, 1114
Baker, C. A., 1090, 1176
Baker, C. J., 719
Baker, C. P., 1120
Baker, F. A., 1152
Baker, G. R., 1170
Bakker, P. A. H. M., 726
Balducchi, A., 1128
Ball, E. M., 1174
Ball, T., 1168
Ballance, G. M., 1131
Balsiger, S., 1118
Bamboo mosaic virus, genome properties, 731
Banana
—black sigatoka: airborne ascospore patterns, 1105; ascospore counts, factors, 1163; leaf wetness and temperature effect, 515
—fruit rot, *Fusarium* and toxigenicity, 1145
—*Sclerotium rolfsii* suppression with juice, 611
—Sigatoka leaf spot, species detection using PCR, 1151
Bandla, M. D., 496, 1112
Bandyopadhyay, R., 241, 1097
Banihashemi, Z., 1084, 1122, 1161
Barba, M., 242
Barkdoll, A. W., 1087
Barker, K. R., 962, 999, 1099
Barker, R. E., 501
Barley (see also *Hordeum chilense*)
—*Bipolaris* and *Fusarium* infection on subcrown internode, conservation tillage effect, 699
—*Cochliobolus sativus* on, pathotypes, 1101
—dsRNA: from, high molecular weight, 249; of, pedigree analysis, 722
—flame chlorosis of, cytological alterations, 815, (816-819)
—kernel blight, in Montana, 1153
—leaf scald, races and pathogenicity in California, 798
—mildew, virulence and RAPD variation, 1167
—net blotch: pathotype diversity, 170; quantitative resistance, 407
—powdery mildew: host response, light dependent, 1127; papilla-regulating extract from, 1127
—Rhizoctonia bare patch, prior grass effect, 1114
—*Stagonospora nodorum* on seed of, isolation medium, 788
—stem rust resistance, molecular markers for resistance gene, 1083
Barley stripe mosaic virus, RNAs, replication, 1110
Barley yellow dwarf virus
—aphid transmission in Morocco, 1113
—cereal aphid relation, imidacloprid effect, 1073
—coat protein gene, Texas serotype, 1175
—isolate variability, 1175
—mass inoculation effect, aphid infectivity, 1163
—Mexican isolates, vector specificity, 1073
—in Mexico, cross protection, 1172
—in oats, gene expression and gel electrophoresis, 1173
—PMV isolates, stability and aphid transmission, 1090
—RNA, translational frameshifting, 1072
—on sweet corn, detection, 1173
—subgenomic RNA of, translation, 1071
—winter wheat cultivar reaction, 244
Barley yellow streak mosaic virus, resistant genotypes, 1173
Barnes, A. D., 1117
Barnett, O. W., 294, 923, 1174
Barton, J. E., 1151
Bartz, J. A., 1064
Bashir, M., 1103
Basile, S. A., 1076
Bassett, D. M., 1417
Batchvarova, R. B., 642
Batista, L., 607
Batra, L. R., 718, 1168
Baudoin, A., 1083
Baum, T. J., 1095
Baxter, M. A., 1105
Beach, R. M., 1128
Beachy, R. N., 294, 1176
Bean, G. A., 718
Bean calico mosaic geminivirus, molecular characteristics, 1149
Bean common mosaic virus
—coat protein gene, nucleotide sequence, 1111
—isolates, potyvirus distinction, 923
—type strains, protein coats, 1110
Bean golden mosaic geminivirus, coat protein gene of, mutational analysis, 1070
Bean pod mottle comovirus, new systemic hosts, 1148
Bean pod mottle virus, dual infection with potyvirus, 1022, (1026)
Bean yellow mosaic virus
—antigenic determinants, gene products and sequences, 1175
—dual infection with comovirus, 1022
Beattie, G. A., 1124
Beauchamp, C. J., 1179
*Beauveria bassiana*, Russian wheat aphid affected by, 1134
Beaver, J. S., 611
Bechere, E., 919
Beck von Bodman, S., 992, 994, 995
Becker, C. M., 1084
Beckerman, J. L., 241, 1077
Beckman, T. G., 1133
Becton, C. M., 1134
Beddis, A. L., 78
Bedford, I. D., 1104
Beet curly top virus, coat protein gene, in transgenic tobacco, 1174
Bélanger, R. R., 242, 583
Bell, A. A., 1118
Bell, D. K., 1075
Bell, R. L., 83
Bellamy, B. K., 1097
*Bemisia tabaci*
—biotypic characterization of populations, 1104
—lettuce infectious yellows virus vector, new

biotype, 86
—on squash, role in silverleaf syndrome, RNA relation, 136
—vector for tomato yellow leaf curl virus, detection using polymerase chain reaction, 1199
Benard, D., 1091
Bencharki, B., 1113
Bender, C. L., 1067
Benedict, A. A., 677, 1144, 1177
Benhamou, N., 468, 583, 1185
Bennett, J., 642
Ben-Shalom, N., 1138
Benson, D. M., 1088, 1120
Bent grass (see also Turfgrass)
—decline, *Pythium* association, 1123
Benyagoub, M., 1119, 1130
Benzi, D., 1064
Berestecky, J., 677
Bergdahl, J. A., 1143
Berger, P. H., 1071, 1102, 1110
Berger, R. D., 546, 1078, 1162
Bergeron, S. N., 955, 1091
Berggren, G. T., 1078, 1251
Bergmann, B. A., 1457
Bergstrom, G. C., 245, 247, 852, 1072, 1073, 1097, 1147, 1151, 1302
Berkett, L. P., 1143
Berman, P. M., 1454
Bermudagrass, decline, cultural and chemical control, 1123
Berner, D. K., 1108, 1164
Bernier, C. C., 1129, 1131, 1141
Berry, J. A., 1144, 1167, 1168, 1172
Bertaccini, A., 242
Bertrand, P. F., 1163
Beute, M. K., 1074, 1140
Bhairi, S. M., 986
Bharathan, N., 136
Bhat, R. G., 1082
Bhatnagar, D., 1077, 1145
Bhatt, R. P., 1114
Bhattacharyya, M. K., 1085
Biggs, A. R., 83, 1105
Biles, C. L., 1064, 1129, 1155
Bimb, H. P., 1132
Binder, R. G., 1165
Biological control
—apple blue mold, nutritional enhancement, 1364
—*Bacillus megaterium* to soybean pathogens, 1297
—bacteria: for *Pythium* blight on turfgrass, 206; for wood-discoloring fungi, 1135
—*Candida guilliermondii* for *Penicillium* on grapefruit, in wax, 1155
—*Chaetomium globosum* antibiotics for *Pythium* on sugar beet, 131
—*Colletotrichum gloeosporioides* for northern jointvetch, rain dispersal, 1219
—composted yard wastes, disease suppressed by, 1156
—*Enterobacter cloacae* for Pythium seed infection, ecology, 1119
—*Gliocladium virens*: for damping-off in zinnia, 230; gliotoxin strains and mycelial polypeptides, 479
—*Hirsutella rhossiliensis*: to *Heterodera schachtii*, 1326; for nematode, soil factors, 1002
—nematode trapping fungi, 615, (617)
—*Pseudomonas*: for *Pythium aphanidermatum*, on cucumber, 1080; for Pythium root rot of cucumber, 1109; for *Trichoderma harzianum*, phenazine effect, 1155
—*Pseudomonas fluorescens*: for Pythium damping-off in cucumber, 264; for take-all on wheat, 178
—*Pseudomonas fluorescens* and *Erwinia amylovora* interaction, on pear, 1153
—*Puccinia xanthii* for cocklebur, 1443
—*Sporothrix flocculosa* to *Sphaerotheca pannosa*, 583
—*Tilletiopsis* spp. for *Sphaerotheca fuliginea* on cucumber, 1109
*Bipolaris* spp.
—*B. maydis*, race T, host-specific toxin from, peroxidase activity, 1086
—*B. sorokiniana*: on barley and wheat, conservation tillage effect, 699; on wheat, cultural and chemical control, 1131
—*B. zeicola*, races, determination with isozyme analysis, 1128
Bird, J., 607, 609, 610, 1104
Bisht, V. S., 1076
Black, L. L., 1090, 1092
Blackeye cowpea mosaic virus, distribution in seed, 497
Blais, P., 242
Blakeslee, G. M., 1096
Blanchette, R. A., 1065, 1096
Bland, J. M., 1147
Blank, C. A., 1089
Blenis, P. V., 1117
Block, C. C., 1154
Blount, J. W., 1126
Blueberry
—scorch carlavirus and shock ilarvirus, transmission period, 1085
—stunt disease, detection using DNA, 248
Blueberry leaf mottle nepovirus, RNA 1 and 2, noncoding regions, sequence homology, 1102
Blueberry shoestring virus, coat protein gene, cDNA sequence, 1111
Bockelman, H. E., 1166
Boeger, J. M., 1065
Boehm, E. W. A., 1082, 1212
Boehm, M. J., 259, 1121, 1171
Boeshore, M., 1111
Boethel, D. J., 1078, 1095
Boge, W. L., 1093
Bolkan, H. A., 1072
Bolkan, L., 1084
Bonas, U., 1100
Bond, W. P., 1090
Bonde, M. R., 104, 1067
Bonman, J. M., 746, 1414
Bonnen, A., 1085
Borja, M. J., 1103
Bors, B., 1364
Bors, R. H., 718
Borth, W. B., 1094
Bostock, R. M., 1085
*Botryosphaeria* spp.
—*B. dothidea*, on pistachio, management factors, 1399, (1402)
—*B. quercuum*, on oak, fungus association in Delaware, 720
*Botrytis cinerea*
—on black spruce, temperature and water effect, 249
—on Douglas-fir, sowing density and canopy effect, 1168
—on grape, transmission by grape berry moth, 1393, (1395, 1396)
—$SO_2$ fumigant dosages, 1069
—vinclozolin resistance in, bioassay kit, 1112
Botseas, D. D., 990
Bottalico, A., 1145
Boudreau, M. A., 1051
Bourne, C. M., 216
Bowden, R. L., 1065
Bowen, C., 496, 499, 1098
Bowen, K. L., 1121
Bowers, J. H., 1089
Brameledge, W., 1063
Brammall, R. A. A., 110, 1129
Brandenberg, R. L., 1099
Brandenberger, L. P., 1094
Brandl, M., 1100, 1126
Brandle, J. E., 246
Brandt, W. H., 1098
Brannen, P. M., 496
*Brassica napus, Leptosphaeria maculans* on, inhibitor, 1101
Brault, V., 1072
Braun, E. J., 990, 1153
Brazee, R. D., 1099
Brecht, J. K., 1064
Brenneman, T. B., 497, 1107, 1114
Brewster, V. A., 225
Bricker, J. S., 1170
Brière, S. C., 1081
Brigham, L. A., 1126
Bristow, P. R., 1083, 1085, 1132
Britton, K. O., 1096
Broad bean mottle virus
—DI-RNAs of, accumulation and encapsidation, 1383
—strains, defective RNAs in, removal and generation, 1383
Bronson, C. R., 994, 1104, 1166
Broome, J. C., 1075, 1417
Brown, D. A., 1116, 1134
Brown, E. W., 718
Brown, G. L., 1171, 1178, 1179
Brown, J., 500
Brown, J. F., 1443
Brown, J. K., 607, 1104, 1149
Brown, R. L., 462, 1165
Brown, S., 1139
Browne, G. T., 1084, 1093, 1157
Bruce, M. A., 452
Bruckardt, W. L., 721, 1119
Bruhn, J. N., 1150, 1152, 1162
Brumfield, S. K. Z., 1173
Bruns, T., 1117
Bruton, B. D., 499, 609, 1091, 1115, 1146
Buccirelli, B., 1166
Buchenau, G. W., 1068, 1159
Buchner, R. P., 1084
Buchwaldt, L., 1141
Buckley, R. J., 241
Bui, P. T., 1305
Bujarski, J. J., 1383
Bukhalid, R. A., 242
Bull, C., 1125
Bunting, T. E., 1160
Burch, K. B., 1073
Burchat, C. S., 1068
Burelle, N. K., 1106
Burgess, L. W., 78
Burmester, C., 1094
Burnes, T. A., 1065
Burnett, P. A., 1073, 1172
Bushnell, W. R., 705, 1082, 1127, 1212
Bustaman, M., 104
Bustamante, E., 609, 610

Cabbage
—black rot resistance: inheritance, 1142; isozyme, 1100
—Chinese, ice nucleation-active bacteria on, role in storage decay, 739
Caesar, A. J., 1138
Café-Filho, A. C., 1088
Callan, B. E., 1080
*Calonectria* spp.
—*C. crotalariae*, on soybean, perithecia and pathogenicity, 1138
—*C. spathiphylli*, perithecia and ascospore analysis, 1161
Cambra, M., 607
Campbell, C. L., 499, 811, 843, 1013, 1082, 1163
Campbell, J. E., 1172
Campbell, K. W., 990
Campbell, R. N., 1098

Canaday, C. H., 1092
Cancino, M., 1145
Canfield, M. L., 1153
Canola, Sclerotinia stem rot, Canadian clonal distribution, 875
Cantone, F. A., 1087
Cappaert, M. R., 1075, 1138, 1448
*Capsicum* spp., virus and insect resistance in Tropics, 611
—*C. annuum*: cryptic virus from, properties, 1103; multiple virus resistance, genetic, 1094; *Phytophthora capsici* on, virulence in Costa Rica, 609; Phytophthora root and crown rot of, soil water potential effect on infection, 792
Carbonell, E., 607
Cardwell, K. F., 1164, 1180
Carey, D. K., 1106
Carey, W. A., 1117
Carisse, O., 602
Carling, D. E., 1171
Carlson, C. W., 1168
Carlson, J. A., 718, 1117
Carlton, W. M., 990, 1153
Carnegie, S. R., 1125
Carpenter, W. D., 38
Carraro, L., 242
Carras, M., 1140
Carrera, L. M., 718
Carris, L. M., 1083
Carroll, J. E., 1147
Carroll, R. B., 719
Carroll, T. W., 1090, 1173
Carrot
—cavity spot, *Pythium* role, 1091
—*Cercospora carotae* on, moisture and temperature effect on infection, 602
—motley dwarf, epidemiology in California, 1073
Carski, T. H., 1168
Carson, M. L., 142, 225, 991, 1138, 1158
Carter, M. R., 719
Cartwright, D. K., 1120
Carver, B. F., 1094
Carver, T. L. W., 1127
Cary, J., 1165
Casquilho, H., 1082
Cassidy, B. G., 1174
Castello, J. D., 244
Castle, S. J., 235, 1102
Castlebury, L. A., 991
Castro, M. P., 1091
Caswell, E. P., 512
*Catharanthus roseus*, western aster yellows mycoplasmalike organisms on, DNA hybridization analysis, 457
Cauliflower mosaic virus
—on *Arabidopsis thaliana*, symptom variation, 1042, (1043, 1044)
—mycolaminaran-induced resistance, characterization, 637
—on solanaceous hosts, environment and genetics, 1175
—on transgenic *Nicotiana*, CaMV coding sequence, 1110
Caulimovirus, tobamovirus compared to, isolate-specific synergy, 1173
Cawood, M. E., 1063
Ceballos, H., 505
Celery, late blight, dew period effect, 1079
Cenis, J. L., 527
*Centaurea solstitialis*, rust on, drought stress effect, 1119
*Ceratocystis coerulescens*, isozyme and RFLP analyses, species distinction, 1137
*Cercospora* spp.
—*C. carotae*, on carrot, moisture and temperature effect, 602
—*C. kikuchii*: cercosporin accumulation by, nitrate and plant extracts, 1166; on soybean, cotransformation, 1150; on soybean, latent infection, 1159; on soybean, seed stain and factors, 446; on soybean seed, fatty acid and triglyceride role, 995
—*C. oryzae*, on rice, cellular resistance to cercosporin, 642
—*C. zeae-maydis*: on corn, yield loss estimation models, 994; periodicity in Iowa, 992
*Cercosporidium personatum*, on peanut, factors affecting yield, 546
Cereal, foot rot, field test, 1113
Cereals and grasses, rusts of, relatedness, rDNA sequence analysis, 1142
Cerkauskas, R. F., 1069
*Cerotoma trifurcata*, virus vector, 946
Cervantes, I. A., 607
Cha, J. Y., 1152
*Chaetomium globosum*, antibiotics from, biocontrol role against *Pythium*, 131
Chaisrisook, C., 991
Chakraborty, S., 1267
*Chalara elegans*, spore survival in organic soil, 1114
Chalfant, D., 497
Chalkley, D. B., 1164
Chamberlain, W. J., 1166
Chamberland, H., 1119
Chamberlin, J. R., 766
Champaco, E. R., 1079
Chandler, D. P., 1065
Chaney, W. R., 608
Chang, C. A., 1358
Chang, C. J., 306, 973
Chang, M.-M., 1066
Chang, P. K., 1150
Chang, R. J., 553
Chao, C. T., 1139
Chapman, W. K., 1096
Charest, P.-M., 1387
Charlton, R. R., 1168
Chase, A. R., 754, 1066, 1124, 1153
Chase, T. E., 540, 1096, 1151
Chastagner, G. A, 1097, 1106, 1144
Chatterjee, A. K., 1099
Chazalet, M., 1068
Chen, C.-Y., 1118
Chen, H., 1167
Chen, J., 306, 973, 1118
Chen, J.-P., 1063
Chen, K. H., 242, 1169
Chen, T. A., 242, 243, 248, 249, 977, 1169
Chen, T. R., 1148
Chen, W., 778, 991, 1124, 1234, 1467, 1477
Chen, X. M., 633, 1139, 1140, 1428
Cherry
—brown rot, inoculum concentration, 1105
—stem pitting disease, etiology in California, 1074
—western X-disease, transmission by bud, 1083
Cherry leafroll virus, strain detection, 1103
Chickpea
—Ascochyta blight: factors, 589; straw infestation, 1261
*Chicorium endivia*, bacteria of, leaf age and position effect, 1067
Chilton, W. S., 992, 1074
Chinchilla, C., 611
Chiou, C.-S., 1100
Chism, B., 1155
Chitosan, antifungal effect, tomato crown and root rot, 1185
Chittaranjan, S., 1114
Chiykowski, L. N., 977
Chng, C. G., 722
Cho, J. J., 1073, 1087, 1106, 1333
Choi, D.-I., 1085
Choi, T., 1110
*Chondrostereum purpureum*, on alder, mycoherbicide, 1154
Chong, J., 815
Chou, T.-Z. R., 496
Chourasia, H., 1121
Christ, B. J., 1140, 1343
Christensen, N. W., 1075, 1138, 1154, 1448
Christian, D. A., 1065
Christiansen, S. K., 1149
Chrysanthemum
—phloem necrosis: DNA synthesis, 1122; temperature effect, 1122
*Chrysomyxa weirii*, on blue spruce, in Pennsylvania, 246
Chu-Chou, M., 1091
Chun, W., 1099, 1154
*Cicer arientinum*, Ascochyta blight, resistance, 1140
Cisar, C. R., 1066, 1150
Citrus
—bacterial canker, pathotypes distinguished by plasmid DNA, 485
—bacterial spot, disease symptoms and leaf surface populations, 625
—canker, stomatal penetration, cultivar characteristics, 1319, (1320)
—canker and bacterial spot: ingress through stomates, 608; stomatal inoculation, device, 930
—canker epidemics, spatial autocorrelation analysis, in Argentina, 843
—decline syndrome, tristeza virus relation, 610
—exocortis and cachexia viroids on, detection and enzymatic amplification, 279
—fruit susceptibility to bacteria and canker, 452, (454)
—green mold, surfactant effect, 1146
—greening disease, bacterialike organism association, detection, 242
—nematodes in feeder roots of, extraction technique, 1095
—*Penicillium* infection, fungicide resistance, 607
—phytoalexin accumulation, stem rot, salinity, and water content, 771
—Phytophthora blight, occurrence in Texas, 1132
—*Phytophthora parasitica* on, *Pseudomonas* spp. inhibiting, siderophore production, 1108
—postbloom fruit drop: characterization of agent, 607; fungicide evaluation, 611; pathogen populations, 1371; strain characteristics, 1377, (1379)
—root rot, biocontrol using bacteria, 1080
—stem-end rot, preinhibitin in, chemical structure, 310, (311, 312)
—viroids 11a and 11b, nucleotide sequencing, 1177
Citrus tristeza virus
—aphid transmissibility of isolates, 611
—coat protein gene, transgenic citrus plants, 1148
—detection: antibody sandwich and coating antibodies, 607; using immunoassay, 609; using immunobinding assay and ELISA, 610
—resistance, 1090
Civerolo, E. L., 485
*Cladosporium* spp.
—*C. caryigenum*: on pecan, cytochemical response, 1033; on pecan, cytochemical response, fungitoxic phenols, 1037, (1040)
—*C. fulvum*, elicitors, non-specific, suppressor, 1101
Claflin, L. E., 1138
Clark, C. A., 656, 1073, 1125
Clark, E., 1100, 1126, 1179
Clark, R. G., 1267
Clark, T. A., 1127
Clarke, B. B., 248, 1123, 1160

Clarke, G. G., 242
*Clavibacter* spp.
—*C. michiganense*, on corn, resistance inheritance to, 142; detection using hybridization and polymerase chain reaction, 990
—*C. michiganensis*: arsenate resistance to, plasmid-encoded, conjugal transfer, 1125; detection using DNA/DNA hybridization, 1067; on potato, extracellular polysaccharide characterization, 1193, (1195); on tomato, entry through pruning wounds, 1153; on tomato, hydathode entry, 990; on tomato, local inoculum source, 553; on tomato, seed detection, 1072; on tomato, serodiagnostic assay, 1076
—*C. xyli*, native plasmid of, repeated sequence, 249
*Claviceps purpurea*, on bluegrass, 1072
Clayton, M. K., 1162
Clement, D. L., 719, 1158
Clement, S., 1106
Clemente, T. E., 1074
Cleveland, T. E., 462, 1074, 1077, 1127, 1145, 1165
Cline, K., 1148
Clinic, volunteers, Master Gardener, 1145
Clover (see also White clover)
—virus detection using tissue immunoblotting, 721
Coakley, S. M., 1113, 1131
Coates, S. T., 991
Coats, D. D., 1072
Coats, S., 1104
Cobb, F. W., Jr., 540, 1096, 1097, 1117
*Cochliobolus* spp., mating type genes, interspecific crossing, 1149
—*C. carbonum*: races, isozyme polymorphism, 621; races, PCR amplification, 1086; races 2 and 4 comparison, PCR amplification, 993
—*C. heterostrophus*: aggressiveness variation, overwintering relation, 1138; on corn, growth rate and pathogenicity relation, 994; infection efficiency of genotypes, 1104; mating type locus, functional analysis, 1149; pathogenicity, mutational analysis, 1166
—*C. victoriae*, germination in soil, inhibition by fungistasis, 147
Coconut palm, lethal yellowing disease of, DNA probes for detection, 216
Cohen, R., 110
Cohen, S. D., 86, 1135
Cohen, Y., 887
Coker, J. L., 1141
Colbaugh, P. F., 1109
Collembola, in rhizosphere, role in pathogen ecology, 1172
*Colletotrichum* spp.: analysis using RFLPs, 1086; biocontrol agent for *Calamagrostis*, 1155; molecular taxonomy, 1143; species diversity, molecular markers, 500
—*C. acutatum*: on strawberry, rain episode effect, 1079; on strawberry, splash dispersal, 332
—*C. coccodes*: fungicide sensitivity, 1158; on velvetleaf, bioherbicide, bacterial interaction, 1081
—*C. gloeosporioides*: cDNA clones of, mating-related, 1066; on citrus, populations, genetically distinct, 1371; on citrus, strain characteristics, 1377; on citrus, survival, 1084; electrophoretic karyotype, 1150; on northern jointvetch in rice, treefrogs as vectors, 501; RAPD analysis, 1142; on rice, dispersal mechanisms and spatial distribution, 1079; on rice, rain dispersal, 1219; on *Stylosanthes*, stochastic model for disease progress, 1267
—*C. graminicola*, isolate identification, polymorphic DNA markers, 832
—*C. orbiculare*: on cucurbit, races, 501; population diversity, DNA fingerprinting and RAPD analysis, 1124
—*C. trifolii*, appressorium development, calcium and calmodulin role, 1064
—*C. truncatum*: bioherbicide in hydroponic bioassay, 1154; bioherbicide for *Sesbania*, nutrition and conidial yield, 1081; on soybean, sclerotium-forming isolates, 314
Collins, D. J., 500, 1073
Collins, H. P., 1131
Collmer, A., 1067
Comeau, A., 1113
Computer, image analysis, agricultural application, 1155
Comstock, J. C., 610, 691
Conifer
—root bark chemicals, role in *Armillaria* infection, 393
—root decay, intersterility group and allozyme differentiation, 540
*Coniophora* sp., on lemon, wood rot development, 1083
*Coniothyrium phyllachorae*, on corn, tar spot complex, 505
Conn, K. E., 1063, 1064
Connell, J. H., 1083
Conradie, E., 1135, 1440
Conway, K. E., 497, 1156
Conway, W. S., 1138, 1146
Cook, C. G., 1095
Cook, D. M., 991
Cook, R. J., 1113
Cookmeyer, D. G., 1071
Cooksey, D. A., 1068, 1080, 1108, 1126, 1128
Cooley, D. R., 1063, 1075
Cooper, T. G., 1137, 1160
Cope, M., 1164
Copel, A., 1092
Corn
—anthracnose of, inbred evaluation, 721
—downy mildew, temperature effect on spore germination and infection, 104, (109)
—fumonisins in: detection by immunoassay, 500; hybrids of, variation, 1146; in Transkei, 353
—Fusarium ear rot, cultivar resistance, 1092
—gray leaf spot: planting date and density effect, 718; resistance to, 991; yield loss in Ohio, 1107
—gray leaf spot and foliar fungicides, 719
—intercrop with beans, rust effect, 1051
—leaf freckles and wilt of, resistance inheritance in inbred lines, 142
—northern leaf blight: partial resistance components, reciprocal translocations, 225; resistance types, 991; systemic resistance, phosphate spray, 1179
—Phaeosphaeria leaf spot, new disease, 1158
—smut: incidence and severity after inoculation, 500; inoculation methods, 950
—southern rust of, silage quality and resistance relation, 501
—sweet: ear smut, inoculation techniques, 995; northern leaf blight, yield relation, 370; seed rot and damping-off, fungal interaction, 1107
—tar spot complex, resistance inheritance, 505
*Cornus* spp., anthracnose resistance in, 1116
—*C. florida*, anthracnose of, quantitative estimation in Connecticut, 247
Correll, J. C., 415, 501, 1094, 1124, 1142, 1171
Corsini, D. L., 1093
Cortesi, P., 1119, 1162
*Corynebacterium sepedonicum*, DNA probe for detection, 1145
Costa, J. M., 1121
Côté, F., 468
Cotton
—black root rot of, soil factors, 1202
—boll decay, *Aspergillus* spread and pectinases, 462
—hypersensitivity to bacteria, electrical membrane potential, 1165
—nematodes, distribution in Alabama, 1094
—rhizosphere and phyllosphere, $CO_2$ effect, 1099
—Verticillium wilt, yield loss and soil inoculum density, 1417
—*Xanthomonas* infection of, stress metabolite, 1127
Cotty, P. J., 462, 1064, 1080
Coutinho, T. A., 1330
Cowpea
—nodules of, nodulin gene induction, 1165
—potyviruses on, biological characterization, 1103
—rust of, cultivar-specific elicitor, factors, 1118
—*Striga* and *Alectra* infestations, herbicide seed treatment for control, 1108
—viruses, distribution and seed transmission in Senegal, 1103
Cowpea chlorotic mottle virus, RNA3 component, symptom formation, 1383
Cowpea mosaic virus, dual infection with potyvirus, 1022
Cox, R. L., 216
Coyne, D. P., 611
Craft, C. M., 206
Cranberry
—cottonball disease: epidemiology, 384; storage of inoculum, 160
—endophytic fungi on, fungicide effect, 1083
—Phytophthora root rot, fungicides for, 1157
Crandall, B. A., 798
Crane, J. H., 608
*Crataegus monogyna*, fireblight of, species interaction, 914, (917)
Creamer, R., 1473
Creasy, L. L., 243
Credi, R., 242
Crested wheatgrass, nematodes on, soil texture effect, 1096
*Criconemella xenoplax*, monoxenic culture, feeding behavior, 936, (938)
Croan, S. C., 1135
Croft, B. J., 1089
Cromack, K., Jr., 393
*Cronartium quercuum*, basidiospore germination, nuclear behavior, 1098
Crop management, virus epidemic, geographic information systems and geostatistics, 1163
Crosslin, J. M., 200
Crouch, V. W., 497
Crowe, F. J., 1072, 1107, 1108, 1448
Crucifer, black rot strains from seed, 1154
*Cryphonectria* spp.
—*C. cubensis*: moisture stress effect, 1135; selective isolation medium, 1440
—*C. parasitica*: on chestnut, tree protein extract effect on, 241; on chestnut, virulence test, 1454; on chestnut callus tissue, antifungal compounds in, 1116; Cryparin in, molecular characterization, 1119; dsRNA virus in, transcriptional regulation, 1118; electrophoretic karyotype, 1077; extracellular laccase of, gene deletion effect, 1118; genetic variability in isolates, 246; hypovirulence, molecular analysis, 1077; hypovirulence and vegetative compatibility, in Italy, 1135;

mitochondrial DNA in, maternal inheritance, 1082; vegetative compatibility groups of, genetic diversity, 245; vegetative compatibility groups, light-induced, 1111, 1206
*Cryptosporiopsis curvispora*, mutants of, nitrate-nonutilizing, 1099
Csinos, A. S., 497, 1107, 1163
Cu, R. M., 1132
Cubeta, M. A., 1114
Cucumber
—*Colletotrichum orbiculare* on, resistance induced by bacteria, 1108
—cultivars, chitinase characterization and induction, 1085
—potyvirus resistance, multiple, physiology, 1173
—powdery mildew, systemic protection, phosphate salts, 1179
—Pythium damping-off of, suppression by *Pseudomonas*, 264
—Ulocladium leaf spot of, temperature and fungicide effect on virulence, 358, (361)
Cucumber mosaic virus
—in bean, RNA-1 dependent seed transmissibility, 127
—resistance induced, rhizobacterial strains, 1108
Cucumoviruses, aphid transmission, 1104
Cucurbit
—bacterial spot, in New Jersey, 1257
—*Colletotrichum* spp. pathogenic to, dip-inoculation method, 1098
—viruses of, detection using ELISA, 1106
Culbreath, A. K., 497, 766, 1163
Culley, D. E., 1066
Culver, J. N., 1118
Cunfer, B. M., 788, 1179
Cunningham, M., 1148
Cunningham, R. A., 1116
Cuppels, D. A., 110
Curl, E. A., 1099, 1172
Custer, D. C., 1106
Custer, D. M., 1333
Cutting, T. L., 991
Cymbaluk, T. E., 1143
Cymbidium mosaic virus
—in orchid, serological detection, 491; transmission, 1090
*Cytospora* spp., on woody plants, wound-associated infection in Oregon, 1116
Czosnek, H., 1199

Daggett, S. S., 1082
Daily, E. L., 242
Damicone, J. P., 1068, 1251
Damsteegt, V. D., 1144, 1175
Dandurand, L. M., 1155
Dane, F., 1178
Daniel, J. F., 1106
D'Arcy, C. J., 1173, 1174, 1175
Dasheen mosaic virus, capsid protein size, variability, 1090
Dashiell, K. E., 1098
Datnoff, L. E., 1170
*Datura stramonium*, Euphorbia mosaic virus on, cell-to-cell movement, 664
Daub, M. E., 1147, 1305
Davidonis, G. H., 1127
Davis, E. L., 1244
Davis, J. R., 1089
Davis, R. E., 242, 977, 1094, 1170
Davis, R. F., 1122
Davis, R. M., 1091, 1092
Davoli, T. A., 1162
Dawson, W. O., 1071, 1118
Deahl, K. L., 719, 1112
Dean, R. A., 1095, 1119, 1164, 1165
De Boer, S. H., 1108
Debons, J., 1107, 1108
Défago, G., 190
Delannay, X., 683
Delserone, L. M., 242, 1067, 1143, 1145
DeMilia, M. S., 242
Demski, J. W., 766
DeMuth, S. P., 719, 1112
De Pauw, M., 1139
*Dermea pseudotsugae*, on Douglas-fir, stem canker from, 248
Dery, P. D., 1168, 1169, 1171
Descalzo, R. C., 1115
DeScenzo, R. A., 1137
Desilets, H., 242
Desjardins, A. E., 341
Dessaux, Y., 992
Detweiler, A. R., 1069
Deutsch, J. A., 505
DeVay, J. E., 1115, 1417
De Vries-Paterson, R. M., 719
Dewey, F. M., 1152
Dewi, I. S., 247
de Zoeten, G. A., 721
Di, R., 1072
Di, Y.-B., 739
*Diabrotica undecimpunctata*
—location in hemocoel, 1148
—virus vector, 946
*Diaporthe* spp.
—*D. citri*, on citrus, preinhibitin chemical structure, 310, (311, 312)
—*D. phaseolorum*, on soybean: epidemics in irrigation, cultivars, 1251; moisture effect on perithecia and spores, 440
Dickman, M. B., 1064, 1149
Dickstein, E. R., 610
*Didymella rabiei*, on chickpea, development on straw, 1261, (1264)
Diehl, S. V., 496, 499, 1033, 1037
Dienelt, M. M., 1103
Dik, A. J., 1162
DiLeone, J. A., 1078
Dinesh-Kumar, S. P., 1071, 1072
Dion, P., 1179
Di Pietro, A., 131, 243, 1077, 1121
*Diplocarpon earliana*, on strawberry, virulence, 248
*Discula destructiva*, on dogwood, fungicides for, 1121
Disease spread, spatial pattern and logistic increase, model, 380, *807*
Di Terlizzi, B., 242, 1104
Dixon, R. A., 1085, 1126
Dodds, J. A., 1089, 1090
Dodson, K. M., 1100
Dogwood
—flowering: anthracnose of, management practices, 1096; *Discula destructiva* on, anatomy, 1096
Domier, L. L., 1173, 1174, 1175
Donald, P. A., 1157
Donald, R. D. K., 1110
Doney, J. C., Jr., 497
Dong, L.-C., 434
Donson, J., 1071
Dorworth, C. E., 1155
Doster, M. A., 1146
Dougherty, W. G., 1070, 1104, 1111
Douglas-fir
—container-grown, root infection, 1137
—*Cylindrocarpon* and *Fusarium* root infection, in seedlings, 1096
—*Fusarium* root infection, seed sanitation, 1136
—root dips for, toxicity, 246
Dowell, F. E., 1072
Dowler, C., 497
Dreher, T. W., 1070
Drennan, J., 1067
Drilias, M. J., 1157
Dubin, H. J., 1132
Dubois, C., 485
Duczek, L. J., 1120
Duffus, J. E., 86
Duffy, B. K., 1080, 1120
Dugan, F. M., 1099
Dugan, K. J., 1144
Duncan, I., 1117
Duncan, R. A., 1075, 1134
Duniway, J. M., 1088
Dunkle, L. D., 993, 1086
Dunlap, M., 1093
Durbahn, C. M., 1077
Duthie, J. A., 1079, 1084
Dutky, E. M., 719
Dyer, A. T., 1140

Eastman, C. E., 1163
Easton, G. D., 1093
Eathington, S. R., 991
Eayre, C. G., 1064
Echávez-Badel, R., 610
*Echinodontium tinctorium*, on grand fir, wood decay potential, 1136
Eckert, J. W., 607, 1069, 1074, 1146
Eckwall, E. C., 1153
Edmisten, K., 1094
Edwards, A. R., 1102
Egel, D. S., 1080
Ehrenshaft, M., 1166
Eicker, A., 858
Eilam, T., 705
El-Assiuty, E. M., 1159
El Ghaouth, A., 398
El-Gholl, N., 610
El-Hamalawi, Z., 1084
Elias, K. S., 1123, 1421
Elkins, J. R., 1086
Ellingboe, A. H., 597, 1083, 1139
Elliott, M. L., 1123
Elliott, M. S., 807
Elliott, V. J., 1161
Ellis, M. A., 332
Elm, Siberian, Botryodiplodia canker of, 1116
Elmer, W. H., 97, 242
El-Nashaar, H., 608
El-Shafey, H. A., 1159
El-Yamani, M., 1113
El-Zik, K. M., 1076
Emery, K. M., 1079
*Endocronartium harknessii*, on *Pinus contorta*, thinning effect, 1117
Endophytes
—grass, cytokinin sensitivity, growth inhibition, 1164
—ryegrass, fescue, and *Hordeum*, antisera for, 1106
*Endothia* spp.
—*E. gyrosa*, on *Eucalyptus*, in South Africa, 1135
—*E. parasitica*, tannase from, purification and characterization, 1086
Engelhard, A. W., 608
Engelkes, C. A., 1143
English, J. T., 1079, 1104, 1114, 1151
*Enterobacter cloacae*
—in spermosphere, bioluminescence and statistical image processing, 1171
—strains in cucumber and pea spermosphere, 720
Entry, J. A., 393
Enyedi, A. J., 242
Epidemic, plant pathogen dual dispersal, focus development, 1288
*Epilachna varivestis*, virus vector, 946
Epstein, A. H., 1074
Epstein, L., 147, 1127
Epton, H. A. S., 914
Erbe, E. F., 1169
Errata

—vol. 79, no. 8, 1989, 1257
—vol. 81, no. 7, 1991, 1257
—vol. 81, no. 10, 1991, 240
—vol. 81, no. 12, 1991, 240
—vol. 82, no. 4, 1992, 807
—vol. 82, no. 5, 1992, 807
—vol. 82, no. 6, 1992, 1257
—vol. 87, no. 7, 1992, 1477
—vol. 82, no. 10, 1992, 1180, 1383
Ersek, T., 1151
Erwin, D. C., 1158
*Erwinia* spp.
—*E. amylovora*: on apple, green apple aphid vector, 242; bacterial antagonist of, carbohydrate effect, 718; on flowers, monitor by stigma streaking, 1077; *rcsB*-like locus, 1099
—*E. carotovora*: mutants of, siderophore production, 1125; on potato, mutants for biocontrol, 1121
—*E. herbicola*: *E. amylovora* interaction, on hawthorn blossoms, 914, (917); epiphyte, plant hormone pathway, 1126; indoleacetic acid strain, aminotransferase genes, 1100
—*E. stewartii*: on corn, seed transmission, 1154; siderophore synthesis and transport genes, cloning, 1125
*Erysiphe graminis*
—on barley, virulence and pathotype evolution, 1102
—on wheat, survival, yield and tiller relation, 1273
Escalant, J. V., 608, 611, 617
Escamilla, H. M., 1084
Eschen, D. J., 1155
Eshel, A., 1074
Eshenaur, B. C., 498
Essenberg, M., 1127
*Eucalyptus* spp.
—canker of, isolation medium, 1440
—diseases in Taiwan, 1136
*Euphorbia esula*
—biocontrol, stem and root rot pathogens, 1129
—*Rhizoctonia* disease of, 1138
Euphorbia mosaic virus, inclusions induced by, cell-to-cell movement, 664, (665-668)
*Eutypa armeniacae*
—*E. lata* compared to, 992
—hyphomycetous state of, 993
Evans, C. K., 1094
Evans, K. J., 890
Evans, T. A., 719, 1089
Eversmeyer, M. G., 1163
Everts, K. L., 1273
*Exserohilum turcicum*
—on corn, partial resistance components, reciprocal translocations, 225
—on sweet corn, yield relation, 370, (373)
Eyal, Z., 275, 1074, 1085, 1109

Fabellar, N. G., 1079
Falk, B. W., 1073, 1111
Falk, S. P., 1119
Fallik, E., 1092
Fang, G., 1176
Fang, J. G., 1119
Farias, G. M., 1086
Farrand, S. K., 991, 992, 993, 994, 995
Farrar, C. A., 235
Farrell, R. L., 1065, 1150
Farrokhi-Nejad, R., 1082
Faturoti, B. O., 1164
Febres, V., 608
Feliciano, A. J., 1093, 1158
Felix-Gastelum, R., 1163
Fellows, R. J., 1065
Fenn, M. E., 1137
Fenn, P., 1136
Fermaud, M., 1393
Fernando, W. G. D., 1081
Ferreira, D. I., 858
Ferreira, S. A., 1090, 1156
Ferrin, D. M., 1078, 1122, 1161
*Festuca arizonica*, endophytic symbionts, origin, 496
Fetch, T. G., Jr., 1101
Fett, W. F., 243
Field, T. K., 1102
Fiely, M. B., 1171
Filajdić, N., 1105, 1279
Filip, G. M., 1116
Filonow, A. B., 498, 1171, 1180
Finckh, M. R., 905
Fishel, R. A., 164
Flaishman, M., 1109
Fleener, B. K., 1144, 1167, 1168
Fleming, C., 881
Fletcher, J., 977, 1169, 1170
*Fomitopsis officinalis*, use by indigenous peoples of western North America, 1096
Foor, C. J., 497
Forbes, G. A., 1112
Ford, E. J., 1081, 1082
Ford, R. E., 253, 294
Forests, health determination, 1135
Forster, R. L., 1172
Fortnum, B. A., 1096
Fouly, H. M., 1106
Foutz, K. R., 1077
Fox, R. D., 1099
France, R. A., 243
Francki, R. I. B., 127
Franckowiak, J. D., 1101
Francl, L. J., 1163
Francois, L., 1158
*Frankliniella occidentalis*, tomato spotted wilt virus vector, midgut barrier to acquisition, 1333, (1336-1339)
Fravel, D. R., 1156
Frederiksen, R. A., 832, 1162
Freeman, J. J., 1165
Freeman, S., 1098, 1143
French, D. W., 1097
French, E. R., 608
French, R. C., 1111, 1143, 1165
French, R. D., 1070
Frenkel, M. J., 609, 1176
Frigimelica, G., 1135
Frison, E. A., 869
Fristensky, B., 1139
Fritz, P., 608
Frost, D. I., 1121
Fry, J., 1123
Fry, S. M., 1094
Fry, W. E., 247, 955, 1081, 1091, 1139, 1140
Fukui, R., 1080
Fulbright, D. W., 1077
Fulling, B. A., 991
Fungicides, general (see also Fungicides, specific)
—seed treatments, sweet corn, 1069
—spray drift, electron beam analysis, 1099
—sterol biosynthesis-inhibiting, cross resistance study methods, 246
Fungicides, specific (see also Fungicides, general)
—aminophosphonic acid, cereal seed treatment, 1157
—benomyl: molecular basis for resistance, in apple, 1348; resistance to, mutation, 1065; scab resistance to, 1354; white clover stolon survival enhanced by, 1159
—bicarbonate, antifungal properties, 247
—chitosan, activity to strawberry fruit pathogens, 398
—chlorothalonil, electron beam analysis of residue, 1157
—diethofencarb, cross-resistance, molecular basis in apple, 1348
—ethylenebiadithiocarbamate, on grape, residues, 1068
—fosetyl-Al, Pythium root rot of ornamentals controlled by, 608
—metalaxyl: *Peronospora tabacina* tolerant strains, 425; *Phytophthora infestans* resistant isolates, 887
—SM-9, for fungal and bacterial pathogens, 499
—sodium chloride, Fusarium crown and root rot suppression on asparagus, 97
—triadimenol, *Pyrenophora teres* resistance to, 821
—triazole, cereal seed treatment, systemic, 1068
Fungistasis, compounds in soil, activity of, 147
*Fusarium* spp.: on asparagus, suppression with sodium chloride, 97; on barley and wheat, conservation tillage relation, 699; on caprifigs, virulence of isolates, 1104; propanil degraded by, 1099
—*F. equiseti*, fusarochromanone produced by, identification, 1063
—*F. graminearum*: DNA restriction fragments in isolates, isozyme variation, 1164; on wheat, group 1 isolates, water stress effect, 78
—*F. lateritium*: on sweetpotato, chlorotic leaf distortion, histology, 656, (657-663); on sweetpotato seed, countries compared, 1073
—*F. moniliforme*: on corn, fumonisins related to cancer in Transkei, 353; on corn, genetic diversity, 1082; on corn, natural defense chemicals, 1166; on corn, systemic infection, 1138; electrophoretic karyotype, 1149; fumonisins from, effect on hampster kidney cell line, 718; fumonisin toxicity to corn callus, 1330
—*F. oxysporum*: on bean, line evaluation, 243; cell-wall degradation, chitinase activity, 1128; on conifers, detection and genetic transformation, 1150; molecular analysis of geographic isolates, 346; pathogenicity of race 2 altered by transformation, 498; on pepper, vegetative compatibility groups, 1092; on potato, vegetative compatibility and pathogenicity relation, 858; RFLP analysis, 1123; species-specific DNA of, repetitive sequence for identification, 1065; on spinach, vegetative compatibility, RFLP analysis, 1171; strain relations, population structure, 73; telomeres of, sequential analysis, 1077; on tomato, crown and root rot, chitosan effect, 1185, (1186-1190); on tomato, races, genetic diversity, compatibility groups, 1421; on watermelon, resistance to race 2, 290; vegetative compatibility of isolates, characterization, 1124
—*F. sambucinum*, antagonist selection for, 1120
—*F. solani*: kievitone hydratase from, amplification and cloning, 499; on mung bean, spore attachment to roots, in nutrient solution, factors, 1311; nuclease from, host response, 1065; on soybean, distribution in fields, 1134; phaseollidin hydratase, 501; phytotoxins in, citrus xylem fluid, 1127
—*F. sporotrichioides*, on transgenic tobacco, trichodiene synthase expression, 1085
—*F. subglutinans*: on pine, diversity in California and Florida populations, 415; on slash pine, water stress effect, 1096

Gabriel, D. W., 1118, 1167
Gadoury, D. M., 243, 247, 1105, 1119
*Gaeumannomyces graminis*

—soil organism effect on growth and manganese oxidation, 993
—on wheat, biocontrol with *Pseudomonas*, 178
Gagné, S., 1179
Galindo, J. J., 607, 608, 611, 1140
Gallenberg, D. J., 1154
Gallian, J. J., 1120
Gálvez, G. E., 609, 610, 611
Gamard, P., 1108
Gamble, J., 1075
Gamliel, A., 320, 328, 1115
Gao, J., 1083
Garbelotto, M., 1117, 1135
Garcia, E. G., 608
Gardner, D. E., 1094
Gardner, J. S., 1168
Garibaldi, A., 1064
Garnsey, S. M., 279, 607, 609, 611, 1090, 1177
Garraway, M. O., 1086, 1165
Gates, R. N., 501, 1160
Gatti, J. M., Jr., 1090
Gaudreault, S. M., 1138
Gaul, S., 1128
Gawel, N., 306, 973
Gay, D., 1076
Gay, P. A., 1074
Gazaway, W. S., 1094
Gbur, E. E., Jr., 1113
Ge, Z., 1071
Geaghan, J. P., 440
Geiger, E. A., 1151, 1302
Gelderblom, W. C. A., 1063
Geminivirus
—on beans, serology, 1145
—on Brassicaceae, genomic components, sequencing, 1070
—complexes of, tomato and pepper diseases in Mexico, 1070
—pseudorecombination between, host range determinants, 1070
—tomato mottle, host range, 1174
—whitefly-transmitted: detection using polymerase chain reaction, 1087; genome affinity and epitope profile, 1149
Gene, beta-tubulin, in *Venturia inaequalis*, mutations, 1348
Geng, S., 1407
George, J. L., 1110, 1111
Gepts, P., 1124
Gergerich, R. C., 946, 1102, 1148
Gerhardson, B., 403
Gerhardt, S. A., 1165
Gerhold, D., 1065
German, T. L., 990, 993, 1087, 1145
Ghabrial, S. A., 1022
Gharbi, A. G., 1076
Ghemawat, M. S., 246, 1157
*Gibberella* spp.
—*G. fujikuroi*: mating populations, electrophoretic karyotype, 1150; mating populations, fumonisin $B_1$ production, 341
—*G. zeae*, outcrossing in, 1065
Gilbert, G. S., 114
*Gilbertella persicaria*, sensitivity to fungicides and chlorine, 1146
Gilbertson, R. L., 1070, 1072, 1083, 1087, 1092, 1124, 1149
Gilchrist, D. G., 1407
Gildow, F. E., 244, 248, 249, 722, 1103
Gill, B. S., 994
Gill, S., 1179
Gillaspie, A. G., Jr., 497
Gillespie-Sasse, L.-M., 1113
Gilmore, M., 499, 1070
Ginting, C., 497, 1146
Gitaitis, R. D., 497, 1076
Glass, K. A., 1081
Glawe, D. A., 991, 992, 993, 995, 1123
Glaze, N., 497
Glazener, J. A., 719
Gleason, M. L., 990, 1153, 1164
*Gliocladium virens*
—biocontrol agent: for damping-off in zinnia, 230; gliotoxin and mycelial polypeptides, 479
—biolistic transformation, plasmid and genomic DNA, 1077
—metabolites from, video imaging, 1127
—P and Q strains of, visual partition, 1081
—tracking using chemically induced mutants, 1156
*Globodera* spp.
—*G. rostochiensis*, on potato, analysis using DNA sequence and diagnostic probe, 881
—*G. tabacum*, on *Solanum* and *Nicotiana* spp., male dimensions, 720
*Gloeodes pomigena*, on apple, secondary metabolite properties, 1074
*Gloeotinia temulenta*, on ryegrass, temperature and moisture effect, 196
*Glomerella* sp., on corn and sorghum, species differences, 1102
—*G. musae*, ascospore progeny, segregation analysis, 1082
*Glomus macrocarpum*, on tobacco, cropping history, 1091
Goates, B. J., 1158
Goetz, E., 1082
Goheen, E. M., 1116
Goldsbrough, A. P., 881
Golembiewski, R., 1069
Golino, D. A., 1133, 1148
Gonsalves, C., 940
Gonsalves, D., 940, 1073, 1156, 1223
Gonzalez, C. F., 1067
Gonzalez, D., 1114
González, M., 608
Goodin, M. M., 285
Goodman, M. M., 1158
Goodman, R. N., 1066
Goodwin, P. H., 1101, 1112
Goodwin, S. B., 955, 1139
Gorbea, C., 1086
Gorbet, D. W., 546
Gordon, T. R., 73, 415, 1124
Gorris, M. T., 607
Górski, P. M., 1127
Goth, R. W., 720
Gotlieb, A. R., 1143
Gottwald, T. R., 452, 608, 625, 843, 930, 1078, 1319
Gough, K. H., 609, 610
Gould, A. B., 1160
Govers, F., 1140
Graham, J. H., 452, 608, 625, 930, 1078, 1124, 1319
Grain storage, fungi in, geosmin production, 1147
Grant, W. S., 1117
Grapevine
—anthracnose of, resistance screening, 1142
—berry disease, fungicides for, 1132
—Botrytis bunch rot: fungicide and leaf removal effect, 1075; spreader-sticker applications, 1083; transmission by grape berry moth, 1393, (1395, 1396)
—callus culture, cold hardiness assay, 496
—canopy air temperature, sampling design for monitoring, 1079
—closterovirus of, detection by polymerase chain reaction amplification, 1086
—crown gall, strain detection using polymerase chain reaction, 434
—epiphytic mycoflora of, population dynamics, 1075
—Eutypa dieback, yield effect, 1084
—fruit and leaf diseases, in Mississippi, 499
—fungal diseases of, control with ultraviolet light, 243
—fungicide residue removal, 1133
—powdery mildew of, fungicide and management factors, 1075
—summer bunch rot complex, cultivar reaction, 1134
—yellows of, chromosomal DNA relation, 243
Grapevine fanleaf virus, in vineyards, determination by ELISA, 1133
Grapevine leafroll virus, detection using bioassay and ELISA, 1148
Grapevine yellows disease, mycoplasmalike organism association, chromosomal DNA, 242
Grau, C. R., 1158, 1172
Graves, B., 1132
Graves, C. H., Jr., 434, 496, 499, 1033, 1037
Gray, F. A., 1095
Gray, L. E., 211
Gray, S. M., 1073, 1090, 1103, 1147
Grebus, M. E., 1156
Green, D., II, 1123
Green, R. J., Jr., 608
Greenspan Gallo, L., 243
Grenier, J., 398
Gresshoff, P. M., 1095
Grieco, P. D., 1070
Griffin, D. E., 1067
Griffin, D. H., 114
Griffin, G. D., 1095, 1096
Griffin, G. J., 1086
Griffiths, H. M., 1137, 1170
Gross, D. C., 1118
Gross, K. C., 1146
Groth, D. E., 1093
Groth, J. V., 1131, 1139
Grothaus, G. D., 1105
Grove, G. G., 1099
Grumet, R., 1128, 1173, 1176
Grybauskas, A., 718
Gubler, W. D., 1084, 1093
Gudauskas, R. T., 1073, 1106, 1172
Gudmestad, N. C., 1067, 1138
Gueldner, R. C., 1166
Guerber, J. C., 1124, 1142
Guevara, Y., 243
Guggenbühl, C., 1118
*Guignardia bidwellii*, on grape, spore release patterns, 1084
Guillaumin, J. J., 1152
Gullino, M. L., 243, 1064
Gumpertz, M. L., 500
Gunasinghe, U. B., 1174
Gundersen, D. E., 1094
Guo, B. Z., 1091
Guo, J. R., 243
Gut-Rella, M., 131
Guthrie, P. A. I., 832
Gutiérrez-E., A., 1148
Guzman, P., 1124
Gwinn, K. D., 1089, 1164

Haas, D., 190, 1109
Haber, S., 815
Hadidi, A., 279, 720, 1086, 1173, 1177
Hadwiger, L. A., 1065, 1066
Hagan, A. K., 1073, 1106
Hagedorn, C., 1155
*Hainesia lythri*, on thimbleberry, biocontrol agent, 1080
Hajlaoui, M. R., 583
Haley, L., 683
Halila, M., 1093
Halisky, P. M., 241
Hall, J. M., 1086
Hall, J. S., 1176
Halliwell, R. S., 498, 1147
Halloin, J. M., 1137, 1160
Hamilton, R. I., 869, 1071, 1144

Hammar, S., 1176
Hammerschmidt, R., 1085, 1126, 1166
Hammond, J., 713, 1175
Hammond, R. W., 720, 1094, 1173
Hampton, R. O., 127, 566, 1103, 1104, 1111
Hanau, R. M., 1102
Hancock, J. F., 1102, 1111
Hancock, J. G., 61, 1080
Hang, A. N., 1075
Hanlin, R. T., 608
Hanna, W. W., 501, 839
Hannan, R. M., 1141
Hanneman, R. E., 1120
Hansen, E. M., 1097, 1116
Hansen, J. M., 992
Hardham, A. R., 1164
Hardy, S. A., 1159
Harman, G. E., 243, 245, 1077, 1121
Harpending, P. R., 247
Harper, C. R., 499
Harrabi, M., 1093
Harrington, T. C., 1137, 1150, 1152
Harris, A. R., 1109
Harris, J. W., 1142
Harris, K. F., 1175
Harrison, B. D., 1149
Harrison, M. D., 1161
Harrison, N. A., 216, 1083
Harrison, U. J., 1114
Hart, J. H., 1137
Hart, L. P., 1100
Hartman, J. R., 498
Hartson, S., 1177
Hartung, J. S., 485, 1106
Harveson, R. M., 1088
Hausbeck, M. K., 1091
Hawes, M. C., 1126
Hawk, J. A., 721
Hayes, C. K., 243, 245, 1077
Hayes, R. M., 1092
Hayman, G. T., 992
Hayward, A. C., 608
Hazelwood, D., 1090
Heagle, A. S., 254, 1099
Heath, M. C., 1118
Heaton, L. A., 803, 992, 995, 1110, 1111, 1175, 1177
Heckman, J. R., 248
Hedin, P. A., 1033, 1037
Heick, J. A., 1089, 1090
Heiden, R. A., 1172
Heimann, M. F., 1133
Heinkel, C. M., 637
Heiny, D. K., 498, 1101
Hellier, B. C., 1141
Hellmann, G. M., 1176
Hellmann, R., 1140
*Helminthosporium solani*
—DNA sequences, specificity, 1143
—RFLP analysis, 1145
Helms, B. E., 1099, 1172
Helms, T., 1156
*Hemileia vastatrix*, on coffee, resistance and leaf substances, 608
Henderson, C. T., 609
Hendrix, F. F., Jr., 498
Hendrix, J. W., 1091
Hendson, M., 1068, 1125, 1230
Henick-Kling, T., 243
Henkels, M. D., 1179
Henson, D. J., 1069, 1158
Hepburn, A. G., 211
Hepperly, P. R., 610
Herbicides, dinitroaniline, effect on tomato resistance to bacteria, 110
Hernandez, M. O., 1167
Herr, L. J., 992, 1046, 1092
Hershman, D. E., 1106
Hertoghe, C. A., 1155
Hess, C. E., 40
Hess, D. E., 1169
Hess, W. M., 1168
*Heterobasidion annosum*
—evolutionary relationships, complexes, 1096
—on fir, dynamics and clonal analysis, 1117
—intersterility groups of, allozyme differentiation, from conifers, 540
—manganese response, 1137
—on ponderosa pine, ozone effect, 1137
—root disease indicator, forest health monitoring program, 1152
—vegetative compatibility, genetic control, 1097
*Heterodera* spp.
—*H. glycines*: biotypes, fertility, 999; on soybean, acidic rain effect, simulated, 962; on soybean, ultrastructure, 429, (430-433)
—*H. schachtii*: biocontrol with fungus, factors, 1002; fungal parasite of, 1326; nematophagous fungus host, biocontrol, 615, (617)
Hewings, A. D., 1163, 1173
Hibiscus chlorotic ringspot virus, in Singapore, 722
Hickey, K. D., 242
Hiebert, E., 1070, 1090, 1110, 1145, 1174, 1176
Higgins, V. J., 1101
Highley, T. L., 1135
Hildebrand, D. C., 971, 1230
Hildebrand, E. S., 719
Hill, H., 244
Hill, J. H., 294, 1074, 1154, 1176
Hillel, J., 1085
Hillman, B. I., 1160
Hinton, D. M., 1166
Hipp, B. W., 1109
Hirano, S. S., 1067, 1162
Hirata, L. T., 1105, 1143
*Hirsutella rhossiliensis*
—biological agent for nematodes, 1002
—sporulation, nematode parasitized by, 1326
Hiruki, C., 977, 1071
Hoagland, R. E., 1067, 1099, 1154
Hobbs, H. A., 1090
Hockmuth, M. L., 1164
Hodge, N. C., 754, 1066, 1153
Hoenisch, R. W., 1084, 1092, 1093
Hoffman, T. K., 244
Hogue, J. R., 1122
Hohl, H. R., 1118
Hohn, T., 1085
Hoitink, H. A. J., 259, 1121, 1156, 1171
Hollin, W., 496
Holly, J., 1073
Holmes, G. J., 1069
Holt, S. E., 1146
Holtz, B. A., 1098
Homma, Y., 310
Hong, S. B., 992
Hopkins, D. L., 290, 498, 1142
Hopkins, M. S., 497
Hord, M. J., 500, 792
*Hordeum chilense* (see also Barley)
—rust of, resistance mechanisms, 1007, (1011)
Horst, R. K., 247, 722, 1121, 1122
Horton, R., 1120
Hotchkiss, M. W., 498
Hou, Y.-M., 1070
Houston, D. R., 244, 1116
Howell, A. B., 1158
Howell, C. R., 1081
Howell, S. H., 1042
Howell, W. E., 1149
Hoy, J. W., 1115, 1124, 1234
Hoy, M. W., 1073
Hoyos, E., 1165
Hoyos, G., 1134
Hruschka, W. R., 479, 1127
Hsiang, T., 1097
Hsu, H. T., 491, 1103, 1148
Hsu, J., 1114
Hsu, L. W., 358
Hsu, Y.-H., 731
Hu, J. S., 1090, 1094
Huang, J.-S., 1094
Huang, Q., 1383
Huang, T.-Y., 731
Huang, Y., 1101
Hubbard, J. P., 991
Huber, D. M., 990, 993, 994, 1107, 1114
Hudspeth, E. S., 637
Huettel, R. N., 1142, 1155
Huffman-Kelly, K., 1125
Hughes, G., 1080
Hughes, G. R., 1141, 1142
Huisman, O. C., 1089
Hung, Y., 1076
Hunger, R. M., 1087, 1094, 1147
Hurtt, S. S., 1173
Hussey, R. S., 936, 1244
Hutton, M. G., 720
Hydrangea, powdery mildew, Benlate and oil for control, 1121
Hymowitz, T., 994
*Hypoxylon* spp.
—*H. mammatum*: ascospores of, aspen infection, 246; disease cycle, spore role as propagules, 114; on poplar, wound closure effect, 1166
—*H. truncatum*: on oak, genetic variation, 995; stromatal type, amplified DNA polymorphism, 1123
Hyslop, J. L., 1071

Igbinnosa, T., 1180
Illman, B. L., 1137
Indiogine, S. E., 1129
Ingalls, S. J., 1121, 1122
Ingham, R. E., 1075
Inglis, D. A., 719
Inoue, S., 1127
Insecticides, chlorothalonil, use on Scots pine, 244
Intini, M., 1152
Irwin, J. A. G., 863
Irwin, M. E., 1163
Isakeit, T., 1089
Ishimaru, C. I., 1125
Israel, H. W., 244, 1121, 1122
Iverson, S., 1150

Jabaji-Hare, S. H., 1119, 1130, 1387
Jacks, T. J., 1127
Jackson, A. O., 1110, 1175
Jackson, K. E., 496, 499, 1068
Jackson, L. F., 798, 1407
Jackson, M. A., 1081
Jackson, W. A., 241
Jacobi, J. C., 1107
Jacobi, V., 244
Jacobsen, B. J., 1106
Jacome, L. H., 515
Jacono, C., 1148
Jacques, M. A., 1067
Jaffee, B. A., 615, 1002, 1326
Jain, R. K., 294
Jakobek, J. L., 1100, 1128
Janisiewicz, W. J., 718, 1364
Jaramillo, R., 608
Järlfors, U. E., 498, 1022
Jarrell, A. E., 1065
Jarret, R. L., 306, 973
Jayaram, C., 1176
Jeffers, S. N., 160, 384, 1063, 1133, 1157
Jeger, M. J., 1151
Jellison, J., 1117

Jenco, J. H., 992, 994
Jenns, A. E., 1305
Jensen, S. G., 1143, 1174, 1176
Jewell, F. F., Sr., 1097
Jian, J. H., 244
Jiang, P., 992
Jiang, X. Q., 1144, 1172
Jilka, J. M., 1176
Jin, P., 1073
Jin, Y., 1166
Joaquim, T. R., 1105
Jochimsen, K. N., 1077
Joerger, M. C., 1105, 1143
Jofre-Garfias, A., 1167
Johansen, E., 1111
Johanson, A., 1151
Johansson, M., 1097
Johnk, J. S., 68, 992
Johnson, A. W., 497
Johnson, C. S., 721, 1095
Johnson, D. A., 1091, 1168
Johnson, D. R., 1129
Johnson, J. C., Jr., 501
Johnson, J. D., 498
Johnson, K. B., 363, 1128, 1130, 1132
Johnson, R. R., 1090
Johnson, R. S., 1064
Johnston, S. A., 245
Jones, A. L., 1065, 1100, 1348, 1354
Jones, E. R., 719
Jones, J. B., 754, 1066
Jones, K. J., 498, 1086, 1122, 1123
Jones, M. L., 993
Jones, M. M., 1092
Jones, R. K., 68, 992, 1074, 1139
Jordan, R. L., 566, 713, 1175
Jorge, P. E., 60B
Joyner, R. L., 254
Juarez, J., 425
Jurkonie, D. D., 1147

Kadish, D., 887
Kado, C. I., 1177
Kadooka, C. Y., 1161
Kaiser, W. J., 412, 589, 1103, 1106, 1141, 1261
Kalb, D. W., 245
Kampmeier, G. E., 1163
Kaneko, S., 1098
Kaniewski, W., 683
Karchi, Z., 749
Karish, J. F., 719
Karu, A. E., 1098
Kashman, Y., 275
Katan, J., 320, 328
Katsar, C., 1115
Katsuwon, J., 1126
Kawamoto, S. O., 1122
Kazmierczak, P., 1118
Ke, J., 245
Keane, P. J., 771
Keaster, A. J., 1157
Keates, S. E., 1083
Kedera, C. J., 1138
Keel, C., 190
Keen, N. T., 1099
Keller, K. E., 1103, 1104
Keller, N. P., 1145
Kelley, V. C., 500
Kelley, W. D., 1117, 1134, 1136
Kelsey, R. G., 393
Kemp, G. H. J., 1135
Kenaf, nematodes on, yield losses from, 1160
Kenerley, C. M., 1157
Kenneth, R. G., 104
Kenyon, L. H., 1168
Keppenne, V. D., 1100
Khan, F. U., 1156
Khan, I. A., 1071
Khan, M., 314
Khan, N. I., 498, 1180
Khan, V. A., 500
Kilian, A., 1083
Kim, D. G., 429
Kim, D. H., 346, 498, 1080, 1118
Kim, H., 992
Kim, H.-G., 1140
Kim, K. D., 1138
Kim, K. H., 1071
Kim, K. S., 429, 664, 946, 1102, 1148
Kim, K.-S., 993
Kim, S. H., 719
King, E. B., 1156
King, P. S., 245, 1069, 1095
Kinkel, L. L., 1067, 1078, 1168
Kinloch, B. B., Jr., 1097
Kinney, P. M., 1172
Kirkpatrick, B. C., 457, 1074, 1083
Kishaba, A. N., 235
Kistler, H. C., 1140, 1371
Klaassen, V. A., 1111
Klein, R. E., 412, 1106
Kleinhofs, A., 1083
Klepzig, K. D., 1065
Klich, M. A., 1147
Klingmueller, W., 1178
Klittich, C. J. R., 341, 1068, 1157
Kloepper, J. W., 726, 1108, 1109, 1121, 1128, 1177, 1178, 1179
Klomparens, K. L., 1170
Klotz, M. G., 1126
Kluepfel, D., 1179
Knesek, J. E., 1110, 1111
Knievel, D. P., 1141
Knott, E. A., 1069
Knowles, T., 1109
Knudsen, G. R., 1134, 1155
Ko, M., 245
Köller, W. D., 1085, 1132
Koenning, S. R., 962, 1099
Koenraadt, H., 1065, 1348, 1354
Kohli, Y., 875
Kohn, L. M., 875
Kohnen, P. D., 1103, 1111
Kohut, R., 245
Koike, S. T., 1072
Kokalis-Burelle, N., 1095
Kollipara, K. P., 994
Koonin, E. V., 1110
Kope, H. H., 1137
Korban, S. S., 1174
Korhonen, K., 1096
Kornkven, E. A., 561
Korva, J. T., 1112
Kousik, C. S., 1138, 1143
Kovach, J., 248
Kraft, J. M., 1093
Kramer, C. L., 1163
Kraus, J., 264, 1156
Krause, C. R., 1099, 1157
Krebs, S., 1128
Kremer, R. J., 1157
Kropp, B. R., 1171
Krupinsky, J. M., 1116
Kuć, J., 119, 425, 580, 696, 749
Kucharek, T. A., 499, 546
Kulik, M. M., 1168, 1169
Kummuang, N., 499
Kurath, G., 1071, 1089
Kushalappa, A. C., 602
Kuske, C. R., 457
Kuti, J. O., 1112
Kuwata, S., 1110
Kuwite, C. A., 1141
Kuznia, R. A., 1088
Kwon, Y. H., 1127

Laakso, M. M., 1177
*Laccaria bicolor*, variation, genetic analysis, 1171
Lackey, B. A., 1326
Lacy, M. L., 1079
Lagunas-Solar, M., 1122
Lamari, L., 1129, 1131
Lamb, T., 1179
Lambert, K. N., 512
Lamison, C. D., 1113
Lante, W. E., 1096
Lapierre, H., 1087
Larkin, R. P., 290, 1114
Laroche, J. P., 1387
Larsen, R. C., 713
Larsson, M., 403
Lartey, R. T., 1173, 1177
Lastra, R., 607, 608
Latin, R. X., 890, 991
Latorre, B. A., 1075
Lau, G. W., 1083
Laurence, J., 245
LaVallee, B. J., 683
Lavi, U., 1085
Law, M. D., 1071
Lawrence, C. B., 1101
Lawrence, J., 1179
Lawson, R. H., 491, 1103
Lawson, T. T., 1117
Lax, A. R., 1147
Layton, J., 683
Lazarovits, G., 110
Leach, J. E., 1125
Lease, R. J., 1112
Leath, K. T., 243, 1141
Leath, S., 993, 1273
Leavitt, G. M., 1075
Lee, F. N., 1124
Lee, I.-M., 242, 977, 1094, 1170
Lee, J. K., 1454
Lee, K.-W., 664
Lee, R. F., 610
Lee, S. C., 722
Lee, Y.-A., 971, 1068, 1125
Lee, Y. H., 1119, 1164
Lee, Y. S., 1092
Leggett, F., 869, 1073
Lehman, J. S., 1161
Lei, C.-H., 1175
Leininger, T. D., 1137
Leisner, S. M., 1042
Leister, R. T., 1128
Leite, R. P., Jr., 1100
Le Menn, R., 1393
Lemieux, C., 1179
Lemke, P. A., 1179
Lentil, anthracnose, resistance screening, 1141
Leong, S., 1178
*Leptographium* spp., on red pine, host stress and resistance, 1065
*Leptosphaeria maculans*
—on canola, pathogenicity and ascospore release, 1106
—pathotypes, DNA probes for differentiation, 1112
—ribosomal RNA genes, sequences, 1143
Leslie, J. F., 341, 1065, 1082, 1138, 1150
Lesnaw, J. A., 1110, 1175
Lespedeza, tar spot, spatio-temporal dynamics, 1162
Letal, J. R., 1076
Letters to editor
—disease progress rates, underestimation, 811
—*Endorhizosphere*, elimination of the term, 726
—formae speciales races, evaluation model, 728
Lettuce
—bottom rot: *Rhizoctonia* characteristics in organic soil, 1046; *Rhizoctonia* virulence, 1092

—*Bremia lactucae* on, relation to foliar pathogens, 1079
—corky root of: disease severity and yield loss relation, 91, (92); yield loss from, 154
—downy mildew of, resistance inheritance, 272
Lettuce infectious yellows virus
—molecular characterization, 1111
—on squash, role of new whitefly biotype, 86
*Leuconostoc mesenteroides*, on tomato, first report, 1063
*Leucostoma* spp.
—*L. kunzei*, on Douglas-fir and Fraser fir Christmas trees, 248
—*L. persoonii*, on peach, suberin accumulation relation, 83
Leung, F. C., 1065
Leung, H., 1066, 1139
Leung, K. S., 1168
Lévesque, C. A., 1066, 1115
Levy, L., 720, 1148, 1177
Lewandowski, D. J., 1071
Lewis, S. A., 1095, 1160
Li, D., 499
Li, G., 1111
Li, K.-N., 993, 1145
Li, R. H., 1090
Libby, W. J., 1097
Liberatore, F. A., 1168
Liddell, C. M., 1129, 1130
Liebman, J. A., 147
Lifson, E. R., 243
Lile, L. S., 1173
Lim, C.-K., 1068
Lim, S. M., 253, 991
Lin, F.-Z., 731
Lin, N.-S., 731
Lindbeck, A. G. C., 1071
Lindbo, J. A., 1070, 1104
Linderman, R. G., 1129, 1155
Linderman, S. D., 1091
Lindgren, P. B., 1100, 1128
Lindow, S. E., 1068, 1078, 1100, 1124, 1125, 1126, 1129, 1153, 1179
Line, R. F., 633, 1113, 1132, 1139, 1140, 1428
Ling, K., 940
Linz, J., 1150
*Lipaphis erysimi*, watermelon mosaic virus 2 and zucchini yellow mosaic virus vector, 235
Lipari, S. E., 246, 1082
Lipp, R. L., 677, 1177
Lipps, P. E., 1107
*Liriodendron tulipifera*, virus of, 1174
Lister, R. M., 1073, 1172, 1175
Little, E. L., 1072
Littrell, R. H., 499, 1070
Liu, D., 1108
Liu, H. Y., 86
Liu, J., 1117
Liu, J.-S., 496
Liu, L., 1085, 1108
Liu, Q., 1159
Liu, Y.-C., 245
Liu, Z. L., 778, 993, 1102, 1151, 1297, *1477*
Livingston, W. H., 244
Liyanage, H. D., 1371
*Lobesia botrana*, on grape, *Botrytis* vector, 1393
Lobinske, R. J., 290
LoBuglio, K. F., 1077
Lockaby, B. G., 1134
Locke, J. C., 230, 719, 1121, 1158
Lockhart, B. E. L., 691, 1087
Lockwood, H., 1101
Loftus, M. F., 379
Logan, J., 1092
Logrieco, A., 1145
Loi, N., 243
Lommel, S. A., 1071, 1176
Long, D. L., 1140
Loniello, A. O., 1149
Loper, J. E., 264, 1067, 1121, 1125, 1128, 1130, 1156, 1179
Lorbeer, J. W., 242, 248
Loria, R., 241, 242, 243, 1143, 1145, 1158
Lorito, M., 243, 245, 1077
*Lotus corniculatus*, *Rhizoctonia* spp. on, modular demography, 1104
Lovic, B. R., 498
Lu, H., 1101
Lu, S. F., 1124
Lucas, L. T., 498, 1122, 1123
Luhn, C. F., 1083
Lukasheva, L. I., 1175
Lukezic, F., 243
Lumsden, R. D., 230, 479, 1127, 1156
Lundquist, J. E., 1153
Luteoviruses, aphid transmission, basal lamina as barrier, 1103
Luthe, D. S., 434
Lyda, S. D., 497, 500, 1084, 1115
Lyngholm, L. K., 1166

Ma, H., 1142
MacDonald, J. D., 520, 1084, 1122, 1161
Mace, M. E., 1101
MacHardy, W. E., 247
Mackill, D. J., 746
Macko, V., 244, 1127
Maclean, D. J., 863
Mac Nish, G. C., 1114
*Macrophomina phaseolina*, on melon, fungus interactions and moisture, 1091
Madden, L. V., 332, 1079, 1080, 1093, 1107, 1171
Magarey, R. C., 1089
Magboul, A. M., 1407
Magill, C. W., 346, 498, 832
Magill, J. M., 497
*Magnaporthe* spp. (see also *Pyricularia* spp.)
—*M. grisea*: conidial germination and appressorium formation, 1164; infection structure formation, genes, 1119; on rice, avirulence genes, 1462; on rice, avirulence/virulence segregation, 597; on rice, gene-for-gene relation pathosystem, 577; on rice, mating type alleles, 421; on rice, virulence, genetic analysis, 1083; on rice, virulence inheritance in cross, 1139; sporulation, mutational analysis, 1066, 1139
—*M. poae*: on bluegrass, biocontrol with bacteria, 1123; on bluegrass, chemical control, 248; on turfgrass, DNA probe for detection, 1160; on turfgrass, *Tylenchorhynchus nudus* interaction, 1122
Mahaffee, W. F., 1177
Maize (see Corn)
Maize chlorotic mottle virus
—molecular evolution, 1143
—serology in Nebraska, 1174
—thrip transmission, 1172
Maize dwarf mosaic virus, on sorghum, factors, 1159
Makkouk, K., 1113
Mallett, K. I., 1151
Maloney, A. P., 1119
Malvick, D. K., 1172
Manandhar, J. B., 788, 1167
Mandala, D., 1124
*Manduca sexta*, systemic acquired resistance in tobacco affected by, 647
Maness, N. E., 497
Mangis, D. R., 719
Mango, anthracnose, ferbam for control, 608
Manion, P. D., 246
Manisterski, J., 1140
Manji, B. T., 1063
Manners, J. M., 863
Manning, W. J., 1092
Mannityl opine catabolic region, from pTi15955, analysis, 992
Mansfield, C. W., 990
Manuscript preparation, author's guide, 4
Maple, sugar, *Ceratocystis coerulescens* on, wound infection, 244
Maracuja mosaic virus, on passionfruit, Florida strain, 807
Marasas, W. F. O., 353
Marco, S., 1073
Markham, P. G., 1104
Marlow, G. C., 1176
Marlow, J. L., 1129, 1155
Marois, J. J., 1075, 1079, 1084
Maroof, M. A. S., 798
Martelli, G. P., 1086
Martin, F. N., 1150, 1167
Martin, N. E., 393
Martin, R. R., 1073, 1085
Martinez, N., 1083
Martinez, R. T., 1149
Martinez-Cano, C., 1153
Martinez-Espinoza, A. D., 1165
Martinson, C. A., 1131
Marty, A. M., 720
Martyn, R. D., 346, 498, 499, 609, 1091, 1115
Marugg, C., 1156
Mask, P. L., 1073
Mason, P. A., 1135
Matejka, J. C., 1083
Matheron, M. E., 1083
Mathews, D. M., 1090
Matuszak, J. M., 955
Mau, R. F. L., 1156, 1333
Maurhofer, M., 190
Maw, B., 1076
Maxwell, D. P., 1070, 1087, 1149
Maynard, D. G., 1151
Mazzola, M., 1125
McBeath, J. H., 1101
McCaffery, M., 1148
McCain, A. H., 415
McCain, J. W., 1139
McCallum, B. D., 1131
McCarter, S. M., 499, 500, 950
McCarthy, M. K., 1081
McCay-Buis, T. S., 993, 1114
McCormick, L. H., 241
McDermott, J. M., 1167
McDonald, B. A., 1065, 1097
McElhaney, R., 1177
McElreath, S. K., 1116
McEntee, J. M., 1130
McEntee, J. P., 1129
McFadden, W., 246, 1068
McGawley, E. C., 1095
McGee, D. C., 1134, 1154
McGovern, R. J., 1174
McGrath, M. T., 246, 720, 1157
McGuire, R. G., 1155
McInroy, J. A., 1128, 1177, 1178
McKemy, J. M., 993
McKern, N. M., 294, 923
McLaughlin, D. J., 705
McLaughlin, M. R., 254, 1172
McLaughlin, R. J., 1067, 1129
McLernon, C. K., 1114
McMillan, R. T., Jr., 136, 608, 1122, 1371
McNew, D. L., 1137
McNew, R. W., 1094
McPherson, R. M., 1163
McWilliams, E. L., 1157
Meganathan, R., 637
Mehlenbacher, S. A., 1133
Melampsora spp., on poplar, teliospore upper wall thickness, 1135
—*M. larici-populina*, on hybrid poplar,

introduction to North America, 1106
—*M. lini*: basidiospore nuclear DNA content, 705; on flax, gene induction, 1119; pachytene karyotype, ultrastructure, 1082, 1212, (1213, 1215-1217)
—*M. medusae*: on hybrid poplar, epidemic in Washington, 1144; on poplar, multicultivar windbreaks, 1134
*Melampsorella caryophyllacearum*, on *Abies fraseri*, in Pennsylvania, 246
Melcher, U., 1169, 1173, 1177
Melgar, J., 499, 1158
Melin, J., 1160
Mellon, J. E., 462
*Meloidogyne* spp.: DNA amplification fingerprinting, 1095; monoclonal antibodies of, immunization procedure, 1244; population variation in Spain, RFLP, 527
—*M. arenaria*, on tobacco, resistance in somatic hybrids, 1305
—*M. chitwoodi*, on potato, green manure effect, 1075
—*M. hapla*, on soybean, acidic rain effect, simulated, 962
—*M. incognita*: on bean, line evaluation, 243; on kenaf, nematode effect on yield, 1095
—*M. javanica*: biocontrol with nematodes, soil factors, 1002; on tomato, juvenile production in hydroponic culture, 512
Melon (see also Muskmelon)
—postharvest decay, Hinokitiol role, 1092
Melouk, H. A., 496, 499, 1068, 1098, 1112
Mendoza-Herrera, A., 1099
Menge, J. A., 1080, 1084, 1108
Menzies, J. D., 1109
Mercado, J. A., 609
Mercier, J. P., 1179
Merida, C. L., 1143, 1145
Merrill, W., 244, 246, 248
Mertely, J. C., 499, 1115
Meskine, M., 1139
Metzler, M. C., 249
Mew, T. W., 1076, 1153
Meyer, J. R., 1114
Meyer, R. J., 1142
Meyer, S. L. F., 1155
Michailides, T. J., 1064, 1104, 1133, 1146, 1156, 1399
Michaloski, A., 243
Michelmore, R. W., 272
Mickler, C. J., 1121
*Microdochium nivale*, on wheat, antiribosome serums for detection, 896
Mihail, J. D., 1079, 1114, 1152, 1162
Miles, N. W., 83
Milgroom, M. G., 245, 246, 821, 1082
Milholland, R. D., 1094
Miliczky, E. R., 1091
Miller, J. D., 610
Miller, J. E., 254
Miller, L. I., 720
Miller, M. E., 499, 609, 1091, 1115
Miller, N. R., 852
Miller, O. K., Jr., 1114
Miller, R. V., 1081, 1082, 1155
Miller, R. W., 1146
Miller, S. A., 1105
Miller, W. A., 1071, 1072, 1074
Mills, D., 1100, 1144, 1145, 1150
Mills, S. D., 1068
Milus, E. A., 1067, 1113, 1128, 1130
Minafra, A., 1086
Mink, G. I., 200, 923, 1104, 1149
Mintz, A. S., 720, 1120
Mircetich, S. M., 1084, 1093, 1157
Mirlohi, A. F., 1113, 1130
Mirocha, C. J., 1063
Misaghi, I. J., 1080
Mischke, S., 1156
Mishra, A., 923
Mitchell, C. C., 1094
Mitchell, D. J., 607, 1087, 1311, 1377
Mitchell, F. L., 1147
Mitchell, J. K., 1133
Mitchell, K. J., 608
Mitchum, B. D., 1123
Miyakawa, T., 1126
Mkandawire, A. B. C., 1124
Mmbaga, M. T., 611, 1139, 1283
Mochizuki, G., 1154
Model
—Alternaria leaf blight of muskmelon, temperature and leaf wetness, 890
—bacteria, epiphytic, lognormal and other spatial distributions, 1161
—*Colletotrichum* on *Stylosanthes*, stochastic, spatial and temporal disease progress, 1267
—computer video images, disease severity printing guides, 1163
—corn to southern rust, disease resistance prediction, 1162
—crop parameters and microclimate variables, simulated dew, 1162
—disease incidence data, statistical, 1080
—disease progress rates, letter to editor, 811
—dollar spot on bentgrass, fungicide applications, 1160
—epidemic, focus development, dual dispersal of pathogens, 1288
—epidemiological threshold, plant densities, 1028
—fractal patterns, *Macrophomina* and *Armillaria* spp., 1162
—healthy and diseased leaf area, nondestructive technique, 1112
—leaf rust of wheat, disease severity estimation, 184
—More*Crop, wheat disease management, 1132
—pathogen persistence and endemicity, in space and time, 561
—pathogenic distribution and logistic disease increase, 380, *807*
—population sample combination, statistical consequences, 1168
—potato losses by multiple pests, 363
—regression, foliar diseases and gas exchange processes, 760
—Taylor's power law and variance mean, 1162
—TOM-CAST on tomato, sensor location, 1164
—wheat disease losses, multiple, in Kansas, 1163
—wheat stripe rust, time series in China, 571
Mogen, B. D., 1094
Mohammed, C., 1151, 1152
Mohan, S. K., 1069
Mojtahedi, H., 1075
Moline, H. E., 1146
*Monacrosporium* spp., nematodes parasitized by, 615, (617)
Monette, S., 1129
*Monilinia* spp.
—*M. fructicola*: on nectarine, nitrogen effect, 1064; on peach, cuticle and phenol role in resistance, 1093; on plum, detection and control, 1069
—*M. oxycocci*: ascospores of, viability and storage, 160, (161); on cranberry, dispersal periods of inoculum, 384
—*M. roreri*: on cacao, cultivar reaction, 609; cocoa clones tolerant to, characterization using RFLP, 608
Monis, J., 1175
Monllor, A. C., 610
*Monographella maydis*, on corn, tar spot complex, 505
*Monosporascus cannonballus*
—ascospore germination and morphology, 1115
—ascospore quantification in muskmelon fields, 1115
—ascospore recovery, method, 1115
—host range, 499
—on muskmelon, fumigants for, 609, 1091
Montana, J. R., 1094
Montasser, M. S., 720
Moore, G. A., 1148
Moore, L. W., 1124, 1153
Moorman, G. W., 1112
Mora, B. E., 609, 610
Mora-A, G., 1163
Morales, F. J., 1145
Morales, V. M., 1143
Morant, M. A., 720, 1097
Morehart, A. L., 720
Morelock, T. E., 501, 1094, 1171
Morgan, D. P., 1064, 1133, 1156, 1399
Morin, L., 1443
Morjan, H., 1093
Morrall, R. A. A., 875, 1141
Morrell, J. J., 1081
Morris, C. E., 739, 1067
Morris, T. J., 1071, 1110
Mortensen, K., 1120
Mount, M. S., 1454
Moustafa-Mahmoud, S. M., 1075
Moyer, J. W., 300, 713, 1070, 1086, 1145, 1147, 1174
Msuku, W. A. B., 1124
Muehlbauer, F. J., 1141
Mueller, J. D., 1160
Mughogho, L. K., 241
Mugnier, J., 1068
Muldoon, A. E., 615, 1002, 1326
Mulesky, M., 1155
Mullen, J. M., 1106
Mullen, M. J., 1106
Müller, K., 1167
Mundt, C. C., 905, 1051, 1078, 1113
Munkvold, G. P., 993, 1084
Muskmelon (see also Melon)
—Alternaria leaf blight of, temperature and leaf wetness model, 890
—downy mildew of, peroxidase activity as biochemical marker, resistance, 749
—postharvest decay, pectolytic enzyme relation, 1146
Musson, G., 1177
Mutto-Accordi, S., 1135
Mycoplasmalike organisms
—on ash, radial growth loss, 1137
—ash yellows, location differences, 1170
—aster yellows strain cluster, genotype-based system, 977
—DNA detection in polymerase chain reaction for, 828
—Dodonaea yellows disease, in Hawaii, 1094
—grapevine yellows, detection in Europe, 1170
—lethal yellowing of palms, DNA probes for detection, 216
—in nonphotosynthetic host, 1170
—phylogenetic relationships: PCR sequencing, 1083; RNA sequence analysis, 1094
—strain cluster identification, RNA primer pairs, 1094
—on strawberry, multiplier disease, 1133
—walnut witches'-broom disease, cloning of DNA fragment, 306
—western aster yellows, on *Catharanthus roseus*, DNA hybridization analysis, 457
Mycorrhizae, vesicular-arbuscular, on celery, effect, 1170

*Mycosphaerella* spp.
—*M. dearnessii*, on pine, toxin activity, 1097
—*M. fijiensis*: on banana, leaf wetness and temperature effect, 515; *Musa* germ plasm resistance, 608; on *Musa* vitroplants, resistance, 611; on plantain, epidemiology in Costa Rica, 607
—*M. graminicola*, on wheat, environmental factors, 1407
Mycotoxin
—aflatoxin, in peanut, biocontrol agents, 1121
—cercosporin, in rice, cell resistance, 642
—fumonisin: biological activities in jimsonweed and cell culture, 1063; on corn, in hybrids and analysis, 1146; in corn, relation to cancer, in Transkei, 353; toxicity to duckweed, 1086; toxicity to weeds, 1112
—fumonisin $B_1$: *Gibberella fujikuroi* source, mating populations, 341; moniliformin, and T-2, effect on corn callus, 1330
—thaxtomin, production by *Streptomyces* spp., 242
Myers, L. D., 1087
*Myzus* spp.
—*M. nicotianae*, tobacco mosaic virus effect on, 647
—*M. persicae*, watermelon mosaic virus 2 and zucchini yellow mosaic virus vector, 235

Naderi, M., 1071
Nagata, N., 1076
Nagpala, P., 1223
Namba, S., 940
Nameth, S. T., 1076
Narayanan, K. R., 136
Narvaez, J., 1093
Nass, P. H., 1180
Nault, L. R., 35
Navot, N., 1199
Ndiaye, M., 1103
Nebeker, T. E., 1135
*Nectria haematococca*
—macroconidia of, glycoprotein in cell walls, 1127
—on passionfruit, new disease in Florida, 610
—virulence genes, sequence linkage, 1140
Neher, D. A., 811, 1088
Neilsen, J., 995
Nelson, B. D., 994, 1156
Nelson, D. L., 1136
Nelson, E. B., 206, 1114, 1119, 1120
Nelson, M. R., 1163
Nelson, R. S., 1111, 1167, 1174
Nelson, S. C., 499, 1013
Nelson, S. J., 1132
Nematicides, phenolic compounds for, application number, 1069
Nematode, scanning electron microscope for observation, 1169
Nemec, S., 1127
*Nerium oleander*, *Rhizoctonia* on leaves of, 1122
Nesmith, W. C., 425, 501
Nester, S. E., 1165
Neumann, M. J., 1136
Nevill, R. J., 1136
Newcombe, G., 1106, 1144
Newhouse, J. R., 164
Ngong-Nassah, E. N., 142
Niblett, C. L., 609, 610
Nicholls, T. H., 1135
Nickell, C. D., 991
Nickrent, D., 621
Nielsen, J., 1088
Nieto-A, D., 1163
Niks, R. E., 1007
Nodari, R., 1124
Noel, G. R., 1122
Nordstedt, R. A., 1087
Norman, D., 1177, 1178
Northover, J., 1069, 1105
Notteghem, J. L., 421, 577, 1462
Novacky, A. J., 1165
Nunez, J. J., 1092
Nuss, D. L., 1077
Nutter, F. W., Jr., 992, 994, 1104, 1107
Nyczepir, A. P., 1133
Nydegger, U., 608
Nyquist, W. E., 890
Nystrom, G. J., 1077
Nyvall, R. F., 1068

Oak
—decline, site comparison, 1135
—leaf scorch, distribution in New Jersey, 1160
—wilt of: genetic variation, 1097; inoculum source effect on progression, 1116
Oats
—crown rust, residual resistance, 995, 1141
—flame chlorosis of, cytological alterations, 815, (816-819)
—Septoria blight, strip intercropping, 1131
—victorin binding proteins: localization, 244; in tissue of, location, 1100
—victorin receptor site in, localization of derivative, 244
Obert, M., 1162
Obituaries
—Arthur Lee Hooker, 253
—Muriel J. O'Brien, 379
—John Rishbeth, 725
O'Brien, P. A., 1140, 1151, 1164
O'Brien, R. D., 91, 154
Ochoa, R., 609
Odvody, G. N., 832
Ogawa, J. M., 1063, 1064, 1093, 1158
Ohsawa, T., 310
Okamoto, D., 73
O'Keefe, D., 1139
Okie, W. R., 1133
Okonkwo, S. N. C., 1180
Olaya, G., 1069
Oleson, A., 1067
*Olpidium radicale*, on cucurbit, host specialization, 1098
Olson, T. N., 719
Olszewski, N. E., 1087
Omdal, D. W., 1152
Onion, Botrytis leaf blight of, fungicides for, 242
Onsando, J. M., 1151
Onstad, D. W., 561, 1028
*Ophiostoma* spp., dsRNA in, survey, 1150
—*O. piliferium*, melanin and perithecial development, 1065
Opperman, C. H., 527
Orchid, Colletotrichum blight, 1161
Orr, R. L., 1135
Orser, C. S., 1102
Orth, C. E., 1159
Orum, T. V., 1163
Osler, R., 242
Osswald, W., 1127
*Ostrinia nubilalis*, on corn, genetically engineered endophyte for control, 1128
Ostry, M. E., 1135, 1166
Otrosina, W. J., 540, 1096, 1117, 1137
Owen, J. L., 1082, 1145
Owens, L., 1101
Ownley, B. H., 178, 1113, 1120
Ozone
—black cherry affected by, 247
—effect on *Leptographium procerum* in pine, 718
—hardwood injury from, in Shenandoah National Park, 719
—peanut stunt virus relation, on white clover, 254
—vegetation effect in Acadia National Park, 245

Paau, A., 720
Pachlatko, J. P., 131
Pacumbaba, R. P., 500
Padgett, G. B., 440, 1078, 1251
Pair, J., 1123
Paiva, N. L., 1126
Palmer, D. A., 1067
Pan, S. Q., 119
Panagopoulos, C. G., 1076
Pang, S.-Z., 1223
Panicum mosaic virus, satellites, cDNA clones, 1175
Papaya, Phytophthora root rot, compost effect, 1087
Papaya ringspot virus
—cross protection, in Hawaii, 1156
—epidemic in Mexico, 1163
Paplomatas, E. J., 1070, 1115, 1417
Pappu, S. S., 609
Parke, J. L., 1156, 1177, 1178
Parker, D. M., 1132
Parks, C. A., 1116
Parlevliet, J. E., 1414
Passionfruit
—potyviruses of: differentiation in Australia, Dominican Republic, and Puerto Rico, 609; host differentiation in Puerto Rico and Australia, 610
Passionfruit mottle virus, passionfruit woodiness virus compared to, 1358, (1360)
Pataky, J. K., 370, 553, 991, 995, 1107
Paterson, J., 1143
Pattanayek, R., 1118
Patterson, C. A., 1102
Paulitz, T. C., 1080, 1109
Paulus, A. O., 609
Pavek, J. J., 1093
Paxton, J. D., 1180
Payne, G. A., 1077
Payne, S. M., 1125
Payne, W. A., 1169
Pea
—*Aphanomyces* resistance, quantification, 1093
—disease resistance response genes, potato transformation from, 1066
—*drr*49 multigene family, evolution and regulation, 1139
—rhizosphere, bacterial communities, 1156
Pea seedborne mosaic potyvirus
—pathotypes P1 and P4, seed transmission, 1103
—seed transmissibility, analysis, 1111
Peach
—bark wounds, suberin accumulation, heritability, 83
—brown rot of, chemical control, 1158
—Gilbertella rot, in South Carolina, 497
Peanut
—biolistic gene transfer in, target tissue, 1074
—Cercospora leaf spot, genotypes resistant to, wild species, 1140
—*Cylindrocladium crotalariae* from, seed coat symptoms, 1072
—early leaf spot, sodic water effect, 1107
—late leaf spot of: factors, 546; fungicides for, 497
—leaf spot diseases, control using expert system, 496
—Rhizoctonia limb rot, planting factors and yields, 1107
—*Sclerotinia minor*: on seed, chemical toxicity to, 496; on seed, thiophanate-M

effect, 499
—southern blight, PCNB for, factors, 1068
—spotted wilt of, disease progress in cultivars, 766
—stem rot and limb rot effect on yield, 1107
Peanut mottle virus
—dual infection with comoviruses, 1022
—peanut stripe virus compared to, 1174
Peanut stunt virus
—on white clover: hypersensitivity, 1172; ozone relation, 254
Pear
—bacterial antagonists on blossoms of, 1128
—fire blight: antagonistic bacteria for, 1130; biocontrol with bacteria, 1129
—flower infection, bacterial colonization, 1067
—frost injury, fire blight, and fruit russet in, integrated control, 1129
—postharvest decay, cultural and biological control methods, 1076
—side rot of, inoculum source, 735
Pearson, R. C., 243, 1084, 1119
Pecan
—*Cladosporium caryigenum* on: cytochemical response, 1033, 1037, (1040)
—juglone precursor in leaves, 1166
—scab, nut parameters of cultivars, 1133
—scab resistance, nut quality and yield in Texas, 498
Pedersen, W. L., 621, 995, 1106, 1141, 1173
Pederson, G. A., 1159, 1172
Peever, T. L., 246, 821, 1082
Peng, M., 696
*Penicillium* spp.
—*P. digitatum*, fungicide sensitivity to, 1069
—*P. expansum*, on apple, biocontrol enhanced using nutrition, 1364
Penix, S. E., 1113
Pennington, R. E., 1147, 1173
*Pennisetum* spp., interspecific hybrids, rust reactions, 1141
—*P. glaucum*, leaf blight, gene and cytoplasmic substitutions, 839
Pennypacker, B. W., 1141
Peplinski, J. D., 246
Pepper, bacterial disease detection, seed assay, 991
Peppermint, Verticillium wilt, cultural practices, 1107
Percich, J. A., 1068, 1172
Pereira, C., 1153
Perkins, D. M., 1106
Permar, T. A., 609
*Peronosclerospora* spp., on corn, conidial germination and systemic infection, temperature effect, 104
*Peronospora tabacina*
—amplified fragment length polymorphism use in isolation, 501
—on leaf disk, hydrogen peroxide antagonistic to, 696
—metalaxyl-tolerant strains of, in tobacco, 425, (428)
—on tobacco, chitinase induction as protection against blue mold, 119
Perrier, X., 485
Perring, T. M., 235
Perry, K. L., 1104
Pesticides, immunoassay for detection, soil analysis and worker safety, 1168
Petersen, F. P., 1105
Petersen, M. A., 807
Peterson, G. L., 104, 1067, 1158
Peterson, G. W., 1117
Peterson, S. W., 1145
Petrunak, D. M., 1140, 1343
Pettitt, A. N., 1267
Petunia, black root rot, biocontrol, 1129
Pfeiffer, P., 1118
Pfender, W. F., 1434
*Phaeoisariopsis griseola*, on bean, RAPD markers for, 1124
*Phaeosphaeria nodorum*, on wheat, RFLP maps, genetic variations, 1302
Pham, M. H., 1143
*Phaseolus vulgaris*
—apical dome cell transformation, microprojectile bombardment, 1167
—brown spot and rust, spatial patterns, 1162
—cucumber mosaic virus on, seed transmissibility, RNA-1 dependent, 127
—nematode resistance in Peru, 611
—rust of: general and specific resistance, 611; intercropping effect, 1051; nonspecific resistance, 1283, (1285)
—rust resistance in, 721
—soilborne pathogens, rhizobacteria effect, 610
—tobacco streak ilarvirus seed transmission, anther tissue relation, 412
—viruses in leaves of, fate after deposition by beetles, 1102
*Phellinus weirii*
—on Douglas-fir, incidence in Oregon, 1117
—tree vigor and infection, field studies, 1116
*Phialophora* spp.
—*P. gregata*: on soybean, detection using ELISA diagnostic kit, 1144; on soybean and adzuki bean, mitochondrial DNA restriction patterns in isolates of, 211, (213); in soybean residue, tillage influence, 1158
—*P. malorum*, on pear, inoculum source, 735
Phillips, D. V., 1160, 1167
Phillips, W., 609
*Phoma proboscis*
—on field bindweed, conidial germination, 1101
—host specificity, 498
*Phyllachora maydis*, on corn, tar spot complex, 505
*Phymatotrichum omnivorum*
—electrophoretic karyotype, 497
—on grape, ergosterol as indicator, 1084
—population genetic markers, 1115
—variability based on RFLP analysis, 500
Phytoalexins
—bean roots, production on media and soil, 1085
—sesquiterpene biosynthesis, GUS reporter gene, 1085
—steroid and sesquiterpene biosynthesis, potato reductase gene correspondence, 1085
*Phytophthora* spp.: biocontrol with *Penicillium funiculosum*, 1119; on *Ceanothus*, cultivar reaction, 1122; in container media, baiting and ELISA for detection, 1161; gliotoxin effect, 1121; host specificity, 1139; in irrigation water, ultraviolet radiation for control, 1122; on pistachio, cankers, 1084; species specific DNA, PCR sequences, 1151; temperature and moisture effect, 498; on tomato, pepper, and squash, furrow irrigation, dispersal, 1088; transformation, electroporation mediated, 1149
—*P. cactorum*, on strawberry, splash dispersal, 332
—*P. capsici*: on chili pepper, biocontrol, 1129; on chili pepper, infection rate and fruit maturity, 1064; on pepper seedlings, soil water potential and infection, 792; population density, irrigation relation, 500; *P. tropicalis* complex, taxonomy, 1164
—*P. cinnamomi*, flagella surface components, characteristics, 1164
—*P. citricola*, on avocado, infection factors, 1084
—*P. citrophthora*: in citrus, phytoalexin, salinity, and water effect, 771; on *Euonymus*, resistance, 719; on giant redwood, foliar blight and root rot, 1122
—*P. cryptogea*, on safflower, sodium ion uptake, 520
—*P. infestans*: clonal diversity, genetic differentiation, in Mexico, 955; ds-RNA in isolates of, from Mexico, Netherlands, and Peru, 164; genetic linkage map, 1140; metalaxyl-resistant strains, virulence, 719; nuclei, DNA content, microdensitometry, 1082; population genetics, in Poland, 1081; on potato, metalaxyl-resistant isolates, overseasoning of, 887; spore production on host tissue, 1112
—*P. megasperma*: race variability, amplified polymorphic DNA, 1151; on soybean, adhesion to cell wall, antibodies, 1118; on soybean, Australian and North American isolates, genetic relations, DNA probes use, 863
—*P. parasitica*: on Italian stone pine, irrigation effect, 1161; on tobacco, aluminum and calmodulin antagonist effect, 1088; on tobacco, races in Georgia, 1107; on tobacco roots, pectin and cellulose degradation, ultrastructure, 468, (470-476); on vinca, aluminum sulfate drench for, 1088; on vinca, wetting agent effect, 1171
—*P. sojae*: glyceollin accumulation, isolines, 1180; races, virulence evaluation, 1082
Pichersky, E., 1199
*Pichia guilliermondii*, on pepper, biocontrol agent of postharvest fruit rot, 1155
Pickens, J. B., 1152
Pierce, M. L., 1127
Piermarini, M., 1155
Pierson L. S., III, 1100
Pierson, E. A., 1080
Pike, S. M., 1165
Pilskalns, K. M., 1149
Pine
—Austrian, *Dothistroma pini* on, resistance, 1117
—loblolly: fusiform rust in old trees, 1136; induced wound response, beetle associated fungi, 1136; internal tissue root damage, 501; pitch canker, drought effect, 1117; survival in storage, factors, 1136
—slash and loblolly, pitch canker, diversity in California and Florida isolates, 415
—white, Procerum root disease, physiology, 1117
Pinkerton, J. N., 1132
Pinnow, D. L., 497
*Pinus radiata*
—gall formation, *Agrobacterium*-mediated gene transfer system, 1457, (1459)
—western gall rust on, susceptible clones, 1097
Piper, K. R., 994, 995
Pirone, T. P., 1110, 1175
Pistachio
—aflatoxin contamination, 1146
—*Botryosphaeria panicle* and shoot blight, 1399, (1402)
*Pisum sativum*, root border cells, protein expression, 1126
Pitz, K. Y., 1156
*Plasmodiophora brassicae*, on Chinese cabbage, inoculation technique, 991
*Plasmopara* spp.
—*P. lactucae-radicis*, on lettuce, resistance inheritance, 272
—*P. viticola*, oospore germination, 1162
Plattner, R. D., 341
Plaza, J. A., 610

*Pleurotus pulmonarius*, commercial production, viruses from, 1073
Ploetz, R. C., 610
Ploper, L. D., 500, 1178
Plumley, K. A., 1160
Pnini-Cohen, S., 1085
Podila, G. K., 1150
Podleckis, E. V., 720, 1173
Pogany, J., 1383
Pohronezny, K. L., 1154
Poinsettia
—Pythium root rot of, microbial activity in potting mixes, 259
—Rhizoctonia stem rot, biocontrol, 1120
Polek, M., 1078
Pollution, acidic rain, root-knot and cyst nematode affected by, 962
Polston, J. E., 1174
Ponz, F., 1103
Pope, D. D., 500, 950, 1066, 1123, *1383*
Popenuck, T. L., 1097, 1117
Popham, P. L., 1165
Poplar, Melampsora rust incidence, seedlings, 1097
Poplawsky, A. R., 1154
Porter, D. M., 1107
Porter, L. L., 247, 1121
Porterfield, P. R., 1147
Postharvest pathology
—*Alternaria* and *Rhizopus* on fruit, iprodione for, 1064
—*Pseudomonas viridiflava* on Chinese cabbage, 739
—strawberry fruit decay, chitosan for control, 398
Postman, J. D., 1133
Potato
—bacterial ring rot: antagonistic bacteria, 1108; extracellular polysaccharide characterization, 1193, (1195); field factors in Colorado, 1161; prediction models, 1161; soil moisture effect, 1154
—*Colletotrichum coccodes* on, wounding and wetting effects, 1091
—cyst nematode of, analysis using DNA sequence and diagnostic probe, 881
—early blight: fungicides for, 992; isozyme analysis of *Alternaria* spp., 1343; weather forecast and spray schedules, 1091
—early blight and Verticillium wilt of, crop loss model, 363
—early dying: co-infection by nematode, 990; irrigation management, 1075, 1448; resistant mutants, 1093; soil moisture status, 1138
—*Fusarium* infection, vegetative compatibility and pathogenicity of isolates, relation, 858
—late blight, Horsfall-Barratt scales for estimating severity, 1112
—late blight disease forecasts, weather forecasts relation, 247
—multiple virus infections, therapy cycling effect, 247
—pink rot, occurrence and distribution, 1138
—*Pratylenchus* and *Verticillium* relation, 1093
—Rhizoctonia stem canker and black scurf of, suppression using *Laetisaria arvalis*, 721
—root tip infection, *Verticillium* and nematodes, 1089
—scab, biocontrol with *Streptomyces*, 1108
—stem rot, resistance evaluation method, 1076
—storage rots, resistance, 1093
—tissue culture, *Erwinia* response, 1154
—tuber infection with *Cladosporium cucumerinum*, cell-wall peroxidase induction, 1126
—*Verticillium dahliae* on, vegetative compatibility groups, 61
—*Verticillium* and *Fusarium* infection, cropping sequence, 1089
—virus infection, aphid performance, 1102
Potato leafroll virus
—aphid activities on, dyes for tracing, 1073
—detection using polymerase chain reaction assay, 720
—field resistance of, methods, 243
—resistance, microplot system, 1090
Potato spindle tuber viroid, chemiluminescent hybridization-based assay for, 720
Potato virus Y, coat protein, in chloroplasts, 1071
Potchen, E. J., 1137, 1160
Potter, D. A., 647
Potter, J., 246
Pottorff, L. P., 1145
Potyviruses, on grasses, classification using polymerase chain reaction, 1176
Powell, A. J., Jr., 497
Powell, C. C., 1157
Powell, W. A., 241, 1077, 1111, 1206
Powelson, M. L., 1075, 1138, 1154, 1448
Powers, K. A., 1076
Powers, T. O., 1143
Pratt, L. H., 1244
Pratt, R. G., 1159
*Pratylenchus* spp., systematics, ribosomal DNA PCR primers, 1142
—*P. penetrans*: biocontrol with green manure, 246; on marigold, vermiform stage, 245
Press, C. M., 1178
Priestley, R., 1152
Prince, J. P., 1170
Provvidenti, R., 610
Prune, wind scab, postharvest decay, 1133
Prune dwarf virus
—National Germplasm Repository, Davis, 1173
—RNA cloning, detection in peach, 1174
*Prunus* spp., ilarviruses of, tree-to-tree transmission, by pollen, 1083
Prunus necrotic ringspot ilarvirus, subgenomic INA of, 1104
Prunus necrotic ringspot virus
—biophysical differences in ilarviruses, 200
—National Germplasm Repository, Davis, 1173
Pruvost, O. P., 485, 1106
Pryor, A. J., 1119
Pryor, B., 1092
*Pseudomonas* spp.: alginate gene sequences, 243; fluorescent, growth in tomato and cucumber rhizospheres, 1080; seed and root exudate effect on, in solarized soil, 320; on tomato, resistance induced by herbicide, 110
—*P. aureofaciens*, phenazine gene expression, 1100
—*P. cepacia*: ecotype conversion, 1067; on onion, strain diversity, 248
—*P. cichorii*, on celery, streptomycin resistance and copper tolerance, 1154
—*P. fluorescens*: antibiotics produced by, disease suppressive capacity of, 190; biocontrol for take-all, antibiotic mutants, 178; biocontrol agent for cucumber damping-off, 264; in citrus soil, survival, copper role, 1128; *lac*ZY-marked strain, tracking, 1177; on pea roots, marking systems, 1178; pyoluteorin production, genomic region, 1156
—*P. putida*: on alfalfa leaves, adjuvant effect on survival, 243; catalase kata subunit, chimeric catalase generated, 1126; in soybean rhizosphere, marking system, 1179
—*P. solanacearum*, biovar 2, tropical variant, 608
—*P. syringae*: on bean, defense response suppression, 1128; on bean, population dynamics of mutant, 1067; on celery, seed infection, 1072; chromosomal insertions, markers, 1179; epiphyte, invasion and exclusion, 1078; epiphytic populations, population size, 1125; epiphytic stress tolerance reduced, mutants, 1124; *hrp* region, RFLP analysis, 1100; on soybean, coronatine biosynthesis, 1067; survival, hydrogen peroxide effect, 1126; syringomycin from, yeast genes, 1126; syringomycin production, *syr* gene sequences, 1118; on tobacco, oxygen production and bacterial factor, 719; on tomato, copper-sensitive strain, resistance gene homologs, 1068; on tomato, regulatory mutants, 1068; transposable element from, molecular characterization, 1100; virulence gene D homologues from, 1099
—*P. viridiflava*: on Chinese cabbage, ice nucleation-active, storage decay role, 739; glycosidase genes of, homologous sequences, 1230; on onion, epidemiology, 1076
—*P. woodsii*, on carnation, cultivar susceptibility, 1076
*Pseudoperonospora cubensis*, on muskmelon, biochemical marker for resistance, 749
Pu, X., 1066
*Puccinia* spp., basidiospores of, nuclear DNA content, 705
—*P. coronata*, appressorium formation, 1007
—*P. graminis*: on durum wheat, resistance, genetic analysis, 919; on wheat, race QCC, phenotypic relation, 1131
—*P. grindeliae*, on broom snakeweed, spatial patterns, 1130
—*P. hordei*: appressorium formation, 1007; *Hordeum* spp. resistant to, 1166
—*P. jaceae*, biocontrol agent of yellow starthistle, 721
—*P. menthae*, urediniospores, image analysis, 1168
—*P. punctiformis*, teliospores, thistle seed inoculation, 1165
—*P. recondita*: appressorium formation, 1007; on wheat, adult plant resistance, gene *Lr34*, 835; on wheat, model for disease estimation, 184
—*P. striiformis*: genetic variation, DNA polymorphisms, 1139; pandemics in time and space, detection, 571; races, cultivar mixture effect on populations, 1078; on wheat, cultivar mixtures and yield effect, 905; on wheat, resistance inheritance in North America, 633, 1428
—*P. xanthii*, on cocklebur, biocontrol factors, 1443
Pullen, M. P., 1096
Pumpkin, powdery mildew, management with triadimefon, 1157
Punja, Z. K., 1066, 1085, 1091, 1109, 1114, 1115, 1167
Purac, A., 869, 1071, 1144
Purcifull, D. E., 1090, 1110, 1145
Purdom, D. K., 1165
Purdy, L. H., 610
*Purshia tridentata, Botrytis* on, seedborne, 1136
Pusey, P. L., 1133
*Pyrenophora* spp.
—*P. teres*: on barley, pathotype diversity, 170; on barley, quantitative resistance, 407; fungicide resistance in, genetic correlations, 1082; triadimenol resistance

in, inheritance, 821
—*P. tritici-repentis*: on wheat, residue management, wetness factor, 1434; on wheat, seed infection, 1072; on wheat, spore trap, 247; on wheat, temperature effect, toxin, 1131; on wheat, toxin-producing pathotypes, 1159
*Pyricularia* spp. (see also *Magnaporthe* spp.)
—*P. grisea*: on millet, earliness allele, 501; on pearl millet, gene and cytoplasmic substitutions, 839; on pearl millet, yield effect, 1160; on rice, resistance inheritance, 746
—*P. oryzae*, on rice, resistance and leaf age, 1414
*Pythium* spp.: *Actinoplanes* spp. parasitic to strains of, 498; on creeping bentgrass, fungicides for, 1123; glyphosate on bean affected by, 1115; heterothallic species, molecular markers, 991, 1467; root rot suppression by, sphagnum peat, 1121; taxonomic and phylogenetic analyses, isozyme polymorphism use, 1234; on wheat, snow mold detection with antiribosome serums, 896
—*P. aphanidermatum*: on bell pepper, fumigation amd metalaxyl effect, 245; in rhizosphere, bacterial interactions and populations, 652; on turfgrass, biological control, 206
—*P. arrhenomanes*: assay method, 1115; *P. graminicola* in, genetic variability in complex, 1124
—*P. sylvaticum*: mutants, antibiotic tolerance, 1167; sexual reproduction, molecular markers, 1150
—*P. ultimum*: on cucumber, *Pseudomonas* for biocontrol, 264; disease suppression by *Pseudomonas fluorescens*, enhanced antibiotic production, 190; germination stimulants for, nutrient deprivation, 1114; inhibitor production by *Enterobacter cloacae*, 1120; on poinsettia, activity in potting mixes, 259; on sugar beet, *Chaetomium globosum* antibiotic role in control, 131; toxic compound produced by, characterization, 242; on zinnia, biocontrol with *Gliocladium*, 230
—*P. violae*, on carrot, host range and nutrition, 1092

Qiu, S. G., 1175
Quail, A. M., 1073
Quesada, A. S., 610
Quigley, N. B., 1118
Quimby, P. C., 1138
Quinn, K. E., 114

Radish, wound gum deposition, calcium and pseudomonad effect, 1074
Raffa, K. F , 1065
Ragab, M. M., 1075
Raharjo, S. H. T., 1167
Rahe, J. E., 1066, 1085, 1115
Raid, R. N., 1154, 1170
Ramsdell, D. C., 1102, 1111
Rand, R. E., 1177
Randall-Schadel, B. L., 1072
Ranieri, R., 1073, 1172
Rankin, L., 1080, 1109
Raposo, R., 247
Raskin, I., 242
Rasmussen, P. E., 1113
Rasmussen, S. L., 272, 1115
Rasooly, R., 1150
Raspberry, Phytophthora root rot, fungicides for, 1132
Raupp, W. J., 994
Rayside, P. A., 1087
Red clover necrotic mosaic virus, genetic and biochemical analysis, cell-to-cell movement, 1071
Reddick, B. B., 1176
Reddy, M. S., 1120, 1171
Reddy, V. S., 642
Redman, R. S., 1149
Reeleder, R. D., 1129
Rees, N. E., 1138
Refaat, M. M., 1159
Rehman, F. U., 1144
Reichard, D. L., 332, 1099
Reilly, C. C., 498, 1133, 1166
Reinhold, M., 1102
Reiser, R. A., 722
Rennie, R., 1120, 1171
Resistance
—barley to net blotch, quantitative, 407
—bean to rust, nonspecific, 1283
—citrus to canker, stomatal penetration, 1319
—corn to leaf freckles and wilt, in inbred lines, 142
—corn to northern leaf blight, partial resistance components, 225
—corn to tar spot complex, 505
—durum wheat to stem rust, genetic analysis, 919
—lettuce to downy mildew, 272
—muskmelon to downy mildew, biochemical marker, 749, (750)
—mycolaminaran-induced, against viruses, 637
—pecan to *Cladosporium caryigenum*, cytochemistry, 1033, 1037
—rice to blast: leaf age relation, 1414; near-isogenic lines, 746
—tobacco, protoplast fusion transfer, 1305
—watermelon to Fusarium wilt, race 2, 290
—wheat to stripe rust, North American genes, 1428
Reuveni, M., 1179
Reuveni, R., 749, 1179
Reviewers, acknowledgment of, 1
Reynolds, K. M., 843
Rheeder, J. P., 353
Rhizobacteria
—antibiotic-resistant mutants, pleiotropic mutations, 1178
—*Bacillus megaterium*, in soybean rhizosphere, 1297
—on cucumber, seed treatment, environmental effect and biochemical response, 1109
—growth promoting, survival on canola and soybean, antibiotic markers for, 1178
—luciferase operon, seed and root colonization, 1177
*Rhizoctonia* spp.: binucleate isolates, in potting media, effect on seedling growth and health, 1109; on lettuce, characteristics in organic soil, 1046; on loblolly pine, foliar blight, 1136; in soil, selective media, 1172
—*R. solani*: anastomosis group, dsRNA components, 1143; anastomosis groups, isozyme analysis, 1387; anastomosis group 2, genetic diversity, 778, 1477; anastomosis group determination, new method, 1169; Australian isolate, molecular variation, 1151; binucleate isolates and disease severity, 610; on corn and sugar beet, population comparison, 1074; on cotton, preplant management, 1075; fatty acids in isolates of, characterization, 68; fungicide sensitivity, on beets, 1069; genetic diversity, anastomosis groups 1 and 2, 1102; heterokaryon incompatibility of AG 8, 1140; on legume roots, interaction with nitrogen-fixing bacteria, 1168; on lettuce, factors in Ohio, 992; nuclear ribosomal RNA genes, DNA restriction mapping, 993; parasitism by *Stachybotrys elegans*, 1130; on peanut, isolates in Georgia, 1114; rye residue effect on disease, 1075; on tall fescue, spatial and temporal patterns, 1079; tuft formation, mechanisms, 1164; on wheat, virulence variation, 994; on wheat and sugar beet, anastomosis groups, 1171; on zinnia, biocontrol with *Gliocladium*, 230
*Rhizomonas suberifaciens*
—on lettuce: first report in Australia, 1077; yield loss from, 154
*Rhizopus stolonifer*, on strawberry, control by chitosan, 398
Rhizosphere
—bacteria, ammonia production, antifungal, 1155
—bacterial populations, peat decomposition and Pythium damping-off, 1171
—*Endorhizosphere*, term elimination proposed, 726
—pseudomonads, ice-nucleation activity, reporter of gene, 1179
Rhoads, D. D., 1124, 1142
Rhoads, M. L., 1128
*Rhynchosporium secalis*, on barley, races and pathogenicity in California, 798
Rice
—black sheath rot of, management in Texas, 1069
—blast: avirulence genes, 1462; avirulence/virulence segregation, 597; DNA fingerprint analysis, in Arkansas, 1124; gene-for-gene relation, pathosystem, 577, (578); leaf age relation, 1414; mating type distribution of isolates, 421; partial resistance, somaclones, 1093; resistance inheritance in lines, 746
—cercosporin resistance in cells, 642
—tungro, epidemic in Philippines, 1079
Richardson, M. D., 1166
Richardson, P. A., 216
Richie, S. M., 625
Richins, R. D., 1071
Richter, G., 1100
Ridout, C. J., 230, 479, 1127
Riedel, R. M., 1089, 1093
Riegel, C., 994
Ries, S. M., 553
Rigert, K. S., 1173
Riggs, J. L., 500, 1115
Riggs, R. D., 429
Rigling, D., 1118
Rijkenberg, F. H. J., 1330
Riley, T. D., 452, 608, 1078, 1319
Rimmer, S. R., 1159
Rindels, S. A., 1154
Ripley, B. D., 1068
Risius, M. L., 244
Ristaino, J. B., 500, 670, 792, 1145
Rittenburg, J. H., 1105
Rizvi, S. S. A., 1104, 1107
Rizwana, R., 1111, 1206
Rizzo, D. M., 1152
Roane, C. W., 379
Roane, M. K., 379
Roberts, D. A., 1078, 1169
Roberts, D. P., 720, 1171
Roberts, J. K., 1119
Roberts, P. D., 1118
Roberts, R. G., 1067, 1076, 1099, 1129
Rocha-Peña, M. A., 610
Rocheford, T. R., 990
Rodriguez, R. J., 1082, 1098, 1143, 1149
Rodriguez-Alvarado, G., 1089
Rodriguez-Ballesteros, O., 1162
Rodriguez-Kábana, R., 500, 1069, 1095, 1099
Roelfs, A. P., 1131, 1139

Rogers, H. H., 1099
Rojas, M., 609
Rojas, M. R., 610, 1070, 1087, 1149
Romaine, C. P., 285
Romantschuk, M., 1100
Romero, J., 1383
Rose
—alternative pest control materials, 719
—disease control with sprays, 1158
—powdery mildew, bicarbonate effect, 1121
—rosette disease, 1074
Rosemarin, S., 114
*Rosemarinus officinalis*, Rhizoctonia aerial blight, biological and chemical control, 497
Ross, D. W., 1136
Rossel, H. W., 869
Rothrock, C. R., 1067
Rothrock, C. S., 1128, 1172, 1202
Rottinghaus, G. E., 1146
*Rotylenchulus reniformis*, soil texture and particle effect, 245
Roumen, E. C., 1414
Rouse, D. I., 993, 1075, 1145
Rowe, R. C., 990, 1089, 1093
Rowhani, A., 1089, 1133, 1148
Roy, K. W., 499, 1158
Royle, D. J., 1131
Rubiales, D., 1007
Rumjaun, A., 1087
Runion, G. B., 1099, 1136
Rupe, J. C., 1134, 1159
Rush, C. M., 1072, 1088, 1171
Rush, M. C., 1093
Russell, B. W., 1144, 1150
Russell, C. C., 1131
Russell, D. R., 1070, 1087
Russin, J. S., 1078, 1095
Russnak, T., 1139
Russo, A. J., 1144
Ryder, M. H., 1109
Ryegrass
—blind seed disease of, temperature and moisture effects, 196
—stem rust of, cultivar reaction, 501

Sabaa-Srur, A., 1064
Saborio, A., 609
*Saccharicoccus sacchari*, sugarcane mild mosaic virus vector, 691
Safflower, Phytophthora root rot, sodium ion uptake, 520
Saghai Maroof, M. A., 798
Saikumar, K. V., 1074
St. Hill, A. A., 807
Salas, B., 1138
Sammons, B., 683
Sams, C. E., 1138, 1146
Sánchez, A., 610
Sanchez, C. A., 1170
Sánchez, C. E., 1090
Sanchez, F., 1103
Sánchez, V., 610
Sanderlin, R. S., 1133
Sanders, P. R., 683
Sanderson, P. G., 160, 384
Sandlin, C. M., 1122, 1161
Sands, D. C., 1082, 1149, 1153, 1155
Sanford, J. C., 247, 1167
Santo, G. S., 1075
Sargent, S. A., 1064
Satellite tobacco mosaic virus
—field studies, 1090
—genetic diversity of field isolates, 1089
—on pepper, helper viruses, symptom modification, 1089
Sauer, D. B., 1147
Sauter, H. P., 1105, 1163
Savage, J. E., 247
Savary, S., 1079
Savino, V., 242
Sayre, R. M., 1169
Schaeffer, D. O., 1090
Schaff, D. A., 977, 1089
Schardl, C. L., 496, 499, 501
Scharen, A. L., 1302
Scherm, H., 1079, 1162
Schilder, A. M. C., 247, 1072
Schippers, B., 726
Schisler, D. A., 1081, 1109, 1120
Schlagnhaufer, B., 285
Schmitt, D. P., 245, 999
Schmitt, M. E., 1131
Schmitthenner, A. F., 1082, 1105
Schnall, J. A., 1074
Schneider, R. W., 1123, 1234, 1421
Schneider, S. M., 1305
Schnider, U., 190
Schoelz, J. E., 1110, 1151, 1175
Scholbrock, L. L., 1144, 1167, 1168
Scholthof, H. B., 1110
Scholz, B. K., 1100
Schottel, J. L., 1153
Schrandt, J. K., 1092
Schröder, E. C., 610
Schroth, M. N., 61, 971, 1068, 1080, 1125, 1230
Schuerger, A. C., 1311
Schuh, W., 446, 515, 1159
Schultz, P. M., 1104
Schuster, D. J., 1174
Schuster, G. L., 1147
Schwabacher, A. W., 1176
Schwinn, F. J., 131
*Sclerotinia* spp.
—*S. homoeocarpa*, sensitivity to DMI fungicides, 1069
—*S. minor*: biocontrol agent of turfgrass weeds, sodium alginate formulation, 1081; proteins of, extraction, 1112; protein specificity, silver stain for differentiation, 496; stored mycelium, 1098
—*S. sclerotiorum*: on canola, Canadian clonal distribution, 875; heterokaryon formation, 1082; mutants, biocontrol for weeds, 1081; mutants lacking sclerotia, pathogenicity, 1155; selective media for, 992; transformation system, 1149
*Sclerotium* spp.
—*S. cepivorum*, on garlic, flooding effect on survival, 1108
—*S. rolfsii*, on apple, biological and chemical control, 1156
Scott, G. E., 1072
Scott, S. W., 1174
Sealy, R. L., 1157
Sears, B. B., 1170
Secor, G. A., 1138
Seem, R. C., 243, 1105
Seemüller, E., 828
Sehgal, O. P., 1148
Seitz, L. M., 1147
Semer, C. R., 1167
*Septoria* spp.
—*S. nodorum*: immunodiagnostics, detection, 1105; on wheat, infection progress, 1113
—*S. tritici*: diagnostic immunoassay for, flusilazole application, 1143; gene flow between location, 1065; genetic variation, DNA fingerprinting, 1085; inhibitor from, biological activity, 275; on wheat, immunodiagnostic kits, 1105
Sequeira, L., 608
Sevilla, M. Q., 1066
Sexton, C. M., 1081
Sha, Y.-H., 1169
Shafer, K. S., 1143
Shafer, S. R., 962, 1099
Shaffer, W. H., 1160
Shafii, B., 1069
Shain, L., 1116
Shamoun, S. F., 1080, 1154, 1155
Shaner, G., 1161, 1172, 1302
Shang, H., 1383
Shaw, J. J., 1100, 1177, 1178, 1179
Shaw, M. E., 1170
Shaw, C. G., III, 1152
Shelburne, V. B., 1174
Shelby, R. A., 500, 1146
Shelton, R. R., 1133
Shen, X., 1173
Shen, X.-Z., 1065
Shephard, G. S., 353
Shepherd, R. J., 1071
Sherwood, J. E., 1144, 1165
Sherwood, J. L., 496, 1087, 1094, 1112, 1147, 1167, 1174
Shew, B. B., 1140
Shew, H. D., 498, 1088, 1114, 1122, 1123
Shi, Z., 1066, 1139
Shiel, P. J., 1110
Shields, R., 881
Shier, W. T., 1063
Shimoni, M., 749
Shintaku, M., 1111
Shirako, Y., 1111
Shishkoff, N., 721, 1119
Shokes, F. M., 546
Short, N. M., Jr., 1171
Short, R. W., 1141
Shrimpton, G. M., 1096
Shtienberg, D., 760
Shukla, D. D., 294, 566, 923
Shuster, S., 1085
Sidhu, J., 721
Siegel, M. R., 496, 501
Siemsen, S. L., 1153
Sigee, D. C., 914
Silbernagel, M. J., 923
Silué, D., 421, 577, 1462
Silva-Rosales, L., 1104
Sim, S. T., 1098
Simcox, K. D., 621
Sims, B. D., 1157
Sinclair, J. B., 314, 778, 993, 994, 995, 1102, 1297, *1477*
Sinclair, W. A., 1137, 1170
Singh, P., 725
Singh, R. P., 835, 919
Singleton, L. L., 498, 1131, 1180
Sipes, B. S., 999
Sivasithamparam, K., 1140, 1151, 1164
Skaalid, S., 1168
Skaria, M., 1095, 1132
Skelly, J. M., 241, 245, 247, 719
Skinner, D. Z., 991
Skrzeczkowski, L. J., 1104
Slack, S. A., 243, 247, 1067, 1090, 1161, 1193
Slaughter, G., 1117
Slay, R. M., 1302
Slightom, J. L., 940, 1223
Slininger, P. J., 1120
Smalley, E. B., 1065
Smilanick, J. L., 1069, 1158
Smiley, R. W., 1113, 1131
Smith, A. G., 1127
Smith, B. J., 499, 1132
Smith, C. A., 247
Smith, C. M., 1143
Smith, D. A., 499, 501
Smith, F. D., 247, 1121, 1167
Smith, M. T., 1166
Smith, O. P., 164, 1144, 1175
Smith, R., 1133
Smith, R. B., 1131
Smith, V. L., 247
Smith, W. F., 1168
Smittle, D., 1076
Smyth, G. K., 1267

Snow, J. P., 184, 440, 1078, 1138, 1143, 1251
Snyder, K. R., 247
Soil solarization
—cereal soilborne disease, yield loss determined by, 1132
—pathogens and host growth affected by, factors, 1115
—potato and bean soilborne diseases, 1172
—for *Pythium* and pest control, garden plots, 1092
—seed and root exudates in soil, bacterial and fungal effect, 320
—tomato blights and root-knot affected by, 500
—tomato germination and seed exudates, chemotaxis of pseudomonads, 328
Soilborne wheat mosaic virus
—distribution in Alabama, 1073
—resistance, vector relation, 1087
Solel, Z., 1116
Soler, A., 1069
Solis-Gracia, N., 1095, 1132
Solomon, J. D., 1135
Somerville, S. C., 1348
Sommerfeld, M. L., 1154, 1170
Sonchus yellow net virus, L protein gene, structure, 1110
Song, W., 1125
Sopher, D. S., 1175
Sorghum
—Acremonium wilt, in Egypt, 1159
—anthracnose stalk rot, genotype and stage factors, 1097
—ergot of, pollination role, 241
Sorghum chlorotic spot virus, RNA and nucleotide sequence, cDNA library, 1111
Sorghum stunt mosaic rhabdovirus, purification and proteins of, 1473, (1474)
Sorrells, M. E., 852
Souhrada, S. K., 994
Soybean
—acid rain effect on nematodes, 1099
—anthracnose, lesion development rate, 314
—binucleate *Rhizoctonia* on, biocontrol activity, 1156
—*Cercospora kikuchii* on seed coats of, cercosporin production, 994
—*Cercospora* and *Phomopsis* on seeds of, protein disintegration, 994
—cyst nematode: control agents, 1155; parasitic biotypes, 999; ultrastructure, 429, (430-433)
—cyst nematode density, pesticide effect on, 1157
—disease pressure, in Illinois, 991
—frogeye leaf spot: acid rain effect, 1160; planting factors, 1098
—*Fusarium* spp. on, pathogenicity in Red River Valley, 994
—*Fusarium* and *Heterodera* infections, irrigated plots, 499
—*Fusarium solani* on, cultivar reaction, 1158
—*Meloidogyne arenaria* on, pine bark for control, 1095
—*Phialophora gregata* isolates from, mitochondrial DNA restriction patterns, 211
—Phytophthora root rot, inoculum and yield loss relation, 1105
—purple seed stain: cercosporin association, 995; factors affecting, 446
—rhizosphere microflora, *Bacillus megaterium*, 1297
—root-knot nematode on, population and insect relation, 1095
—southern stem canker, inoculation technique, 1167
—stem canker of: epidemics under irrigation, cultivars, 1251; insect injury effect, 1078; soil fertility effect, 1159
Soybean dwarf virus, strain Y, sequence analysis, 1175
Soybean mosaic virus
—aphid transmission, coat protein relation, 1176
—comovirus enhancement in dual infections, 1022, (1026)
—seed transmission, 500
—strains compared, coat protein peptide profiles, 294
Soybean severe stunt virus, crop rotation for control, cultivars, 1089
Spaine, P., 1098
Sparks, M. J., 1110, 1111
Spear, R. N., 1133
Speck, J., 1147
Spencer, N. R., 1138
*Sphaceloma fawcettii*, on citrus, mite interaction, 609
*Sphaeropsis sapinea*, geographic isolates, allozyme variation, 1117
*Sphaerotheca pannosa, Sporothrix flocculosa* antagonistic to, cytochemistry, 583, (584-587)
Spielman, L. J., 955, 1081
Spillers, E. A., 1122
Spinach
—downy mildew, resistance to races 3 and 4, 1094
—soilborne pathogens of, disease progression and yield loss, 403
Spinski, P. L., 1154
*Spiroplasma citri*
—antibodies, Fab portions, serology, 1170
—DNA probe specific for recombinant, 1169
—protein and DNA profiles, 1170
—virus characterization in, 1169
—virus resistance in lines of, 1169
Spooner, F., 1166
*Sporidesmium sclerotivorum*
—life cycle: biocontrol agent for *Sclerotinia*, 720; favorable conditions, 1120
*Sporothrix flocculosa*, antagonistic to rose powdery mildew, cytochemistry, 583, (584-587)
Spotts, R. A., 735
Spradlin, D., 1160
Spruce
—black, root cold hardiness, container-grown, 244
—container-grown, root infection, 1137
—Norway, nutrient relation to symptoms, 245
—red, nutrient deficiences in West Virginia, 241
—wood decay, water factors, 1117
Spurr, H. W., Jr., 1078, 1105, 1163
Squash
—powdery mildew management, 720
—silverleaf of, new vector biotype for, 86
—silverleaf syndrome in, whitefly-mediated, characteristics, 136
Srinivasan, I., 721
*Stachybotrys elegans, Rhizoctonia solani* interaction, cytochemistry, 1119
Stack, J. P., 1063
Stack, R. W., 1135, 1138
*Stagonospora nodorum*
—on barley, isolation medium from seed, 788
—on wheat, resistance components, leaf age effect, 1179
Stalker, H. T., 1140
Stall, R. E., 754, 1066, 1100, 1153
Stange, R. R., Jr., 1074, 1146
Stanghellini, M. E., 272, 652, 1088, 1115
Stansly, P. A., 1174
Staples, R. C., 986
Stapleton, J. J., 1075, 1115, 1134
Starr, G. L., 1116
Stasz, T., 243
Stavely, J. R., 611, 718, 721, 1142, 1168
Steadman, J. R., 611, 1139, 1283
Stebbing, J.-A., 1129
Steele, W. J., II, 1168
Steffenson, B. J., 170, 407, 1083, 1101, 1166
*Stemphylium* spp., on alfalfa, RAPD fragment diversity, 991
Stenlid, J., 1097
*Stenocarpella* spp.
—*S. macrospora*, filtrate of, pathotoxic principle in, 720
—*S. maydis*, on corn, stalk rot evaluation, 1097
Stensvand, A., 1105
Stephen, F. M., 1136
Stermer, B. A., 1085
Stevens, C., 500
Stevens Johnk, J., 1074, 1139
Stevenson, W. R., 1075
Steward, V. B., 719
Stewart, E. L., 1164
Steyn, P. J., 858
Stine, B. S., 1073
Stipanovic, R. D., 1101
Stites, J., 1161
Stock, S., 1126
Stockwell, V. O., 1067, 1128, 1130
Stoltz, M. A., 1113
Stomp, A.-M., 1457
Stone, A. L., 1144
Stone, J. K., 1132
Story, R. N., 1090
Stowell, L. J., 1163
Strandberg, J. O., 1070
Strange, R. N., 1093
Stratford, R., 881
Strausbaugh, C. A., 61, 1172
Strausbaugh, C. D., 1120
Strauss, J. H., 1111
Strawberry
—fruit decay, biocontrol by chitosan, 398
—fruit infection by fungi, splash dispersal, 332
—resistance to *Phytophthora* spp., 1093
—root and crown rot, inoculum distribution and concentration, 1084
*Streptomyces* spp., on potato, tuber tissue lignification, 1166
—*S. ipomoea*: on sweetpotato, serology for detection, 1145; on sweetpotato, soil rot and factors affecting, yield, 670; variability, 1125
—*S. scabies*: monoclonal antibody production by, 241; *Streptomyces* suppressive to, 1108; thaxtomin A produced by, 1153
*Striga hermonthica*
—biomass estimation above ground, 1169
—distribution mechanisms, control, 1164
—embryo germination, nitrogen nutrition, 1180
Stromberg, E. L., 719, 721
Stubbs, G. J., 1118
Stuteville, D. L., 991
Stutz, J. C., 1170
*Stylosanthes scabra*, anthracnose of, stochastic model for spatial and temporal disease progress, 1267
Subbarao, K. V., 184, 440, 1104, 1251
Sudarsono,, 1176
Sugar, D., 735, 1067, 1076, 1130
Sugar beet
—Aphanomyces damping-off: soil reduction factor, 995; soil temperature and green manure, 1088
—pseudomonads on seed of, effect on *Pythium* invasion, 1080
—*Pythium* spp. on, pathogenicity using thermogradient plate, 1088
—*Pythium aphanidermatum* in rhizosphere

of, bacterial interactions and populations, 652
—Pythium damping-off, suppression by *Chaetomium globosum*, 131
—Rhizoctonia root and crown rot of, age effect, 1143
—*Rhizoctonia solani*, magnetic resonance imaging, 1160
—seedling diseases, bacterial antagonism, 1120
—soilborne pathogens, 1088
Sugarcane
—rust, resistance screening, 610
—soilborne yield decline, transmission in Australia, 1089
Sugarcane mild mosaic virus, purification and serology, 691, (692, 693)
Sugarcane mosaic virus, coat protein and infectivity, 1176
Sugar maple, paraformaldehyde effect on tapping for sap, 1116
Sugiyama, L., 1156
Sujkowski, L. S., 1081
Sulistyowati, L., 771
Sulzinski, M. A., 1147
Sumartini, 104
Sumner, D. R., 1075, 1076
Sun, C.-W., 434
Sung, J. M., 1152
Sunn-hemp mosaic virus, coat protein-mediated resistance, 721
Sutherland, J. R., 1137, 1168
Sutton, E. A., 1133
Sutton, J. C., 248, 249
Sutton, T. B., 532, 1074, 1105, 1279
Svensson, S. A., 1099
Swain, R. H., 719
Swanson, M. M., 1149
Swart, W. J., 1117, 1135, 1440
Sweet clover necrotic mosaic virus, strains, genomic RNA species, sequence analysis, 1071
Sweetpotato
—chlorotic leaf distortion, *Fusarium lateritium* on, histology, 656, (657, 663)
—Streptomyces soil rot of, yield and factors affecting, 670
—viruses of, serology, polyclonal antisera, and monoclonal antibodies, 713
Sweetpotato feathery mottle virus, detection using RNA probes, immunobinding assay and direct blotting, 300
Sweetpotato latent virus, riboprobe detection, DNA cloning and sequencing, 1174
Sweet potato virus
—characterization and molecular cloning, in Nigeria, 869, (870-872)
—closterovirus association: genomic RNA, 1071; nucleic acid hybridization assay, 1144
—whitefly component, dsRNA analysis, 1070
Sweets, L. E., 1173
Sydenham, E. W., 353
Szabo, L. J., 1142

Taber, H. G., 1164
Taguchi, N., 1126
Tainter, F. H., 1116, 1174
Takahashi, H., 310
Takemoto, J., 1126
Takenaka, S., 896
*Talaromyces flavus*, benomyl resistance as marker for tracking, 1156
Tang, W., 248
Tapia, A. C., 611
Tappan, C., 1099, 1157
Tattar, T. A., 1454
Taylor, B. H., 1175
Taylor, J. L., 1143
Taylor, S. E., 1164
Taylor, S. J., 1162
Têliz, D., 1163
Teaching, rules, 1169
TeBeest, D. O., 380, 500, 501, 1066, 1079, 1086, 1150, 1162, 1219
Tedford, E. C., 512, 615, 1002
Tedla, T., 652
Tegegne, G., 241
Telgheder, C., 1075
Temann, A., 1178
Temple, S., 1124
Teng, P. S., 1079
Tervola, R., 499
Teviotdale, B. L., 1084
Tewari, S., 1139
Thal, W. M., 1105, 1163
*Thanatephorus cucumeris*
—on bean: cultivar resistance, 609; fungicide evaluation, 610
Tharreau, D., 577, 1462
Thaxton, P. M., 1076
Theron, D. J., 858
Theuri, J. M., 1148
Thiel, B. J., 1155
Thiel, P. G., 353
*Thielaviopsis basicola*
—on cotton, soil factors, 1202
—detection, enzyme immunoassay, 1098
—growth inhibited by aluminum and calmodulin, 1114
Thies, K. L., 434
Thomas, P. E., 1073, 1174
Thomashow, L. S., 178
Thompson, D. C., 248, 1123
Thompson, T. A., 1176
Thomson, S. V., 1077
Thornbury, D. W., 1110, 1175
Thornton, A. B., 1171
Thorson, P. R., 994, 1166
Ti plasmid, encoding factor, conjugal transfer, 995
Tiffany, L. H., 1134
Tiffany, M. G., 1149
Tigchelaar, E. C., 991
Tillage, conservation
—*Bipolaris* and *Fusarium* on barley and wheat stems, 699
—residue management, tan spot of wheat, 1434
*Tilletia* spp., teliospores, characteristics, 1144
—*T. caries*, fungal mating type genes, *Ustilago hordei* comparison, 1150
—*T. controversa*, teliospore mortality, fumigation effect, 1158
Timmer, L. W., 607, 611, 843, 1084, 1377
Tipping, E. M., 1178
Tisserat, N., 1123
Tjamos, E. C., 1076
Tobacco
—binucleate *Rhizoctonia* on, survival in fields, 721
—black shank of, pectin and cellulose degradation, ultrastructure, 468, (470-476)
—black shank-root knot complex, fungicides for, 497
—blue mold: chitinase induction as protection using mildew and virus, 119; metalaxyl-tolerant strains of pathogen, in Mexico, 425, (428)
—cyst nematode, yield effect, 1095
—disease resistance transfer by protoplast fusion, 1305, (1306)
—endophytic fungi on leaves of, characteristics, 1078
—foliar blight and soreshin, suppression by iprodione, 499
—leaf spot, *Rhizoctonia* AG-3 isolates, 1139
—potyviruses on, SMV-CP gene, 1176
—root knot of, soil fumigation and plastic mulch, 1096
—transgenic: PVY capsid protein sequence, 1176; tomato spotted wilt virus on, nucleocapsid protein gene role, 1223, (1227)
—transgenic plants, resistance to *Pseudomonas solanacearum*, cecropin B relation, 1101
Tobacco etch potyvirus, RNA-mediated resistance, 1070
Tobacco etch virus, transgenic lines and coat protein gene, 1104
Tobacco mosaic virus
—coat protein, structural elements in, gene hypersensitive response, 1118
—Holmes' Masked strain, genome, 1111
—immunization effect, $\beta$-ionone-ester accumulation, 580
—mycolaminaran-induced resistance, temperature sensitivity, 637
—nonstructural genes of, transgenic plants, 1071
—peanut chlorotic streak virus mutant of, 1071
—resistance in tobacco, somatic hybrids, 1305, (1306)
—on *Saintpaulia ionantha*, subliminal infection, 1147
—salicylic acid effect on infected tobacco leaves, 242
—systemic acquired resistance, 647
—in tobacco, chitinase induction as protection against blue mold, 119
—in turnip, defective movement, 1177
Tobacco streak ilarvirus, on bean, isolate Mel F, seed transmission relation, 1103
Tobacco streak virus, on bean, seed transmission and anther infection, 412
Tobacco vein mottling virus, in nuclear polyhedrosis virus, *Trichoplusia* larvae host, 1175
Todd, J. W., 766
Toler, R. W., 1159
Tolin, S. A., 294, 721
Tollner, B., 1076
Toman, J., 990
Tomasino, S. F., 1128
Tomato
—Alternaria blight, yeasts inhibitory to, 1129
—*Alternaria solani* resistant, chitinase and osmotin relation, 1101
—bacterial canker: local inoculum sources, 553; soil solarization for, 1076
—bacterial disease detection, seed assay, 991
—bacterial pathogens of, resistance induced by herbicides, 110
—*Colletotrichum coccodes* on, dew period and temperature effect, 1091
—corky root, soil factors, 1088
—crown and root rot, chitosan effect, cytochemistry, 1185, (1186-1190)
—cultivar reaction to Fusarium and Verticillium wilt, inoculum concentration, 608
—early blight, cultural and biological control strategies, 500
—*Fusarium* spp. on, variability among isolates, 1066
—Fusarium wilt, races and compatibility groups, diversity, 1421
—postharvest pathogens, chlorine for control, temperature effect, 1064
—processing, anthracnose, fungicide scheduling, 991
—root-knot, nematode juvenile production in hydroponic culture, 512
—seed exudates, chemotaxis in solarized soil, 328
—tobacco and tomato mosaic virus on, coat

protein genes for resistance, 683, (686)
—*Verticillium dahliae* in, resistance, 1098
Tomato bushy stunt virus
—foreign genes and defective RNAs, 1110
—hemagglutination, 1175
—saccharide binding, 995
Tomato mosaic virus, on conifer seedlings, 244
Tomato ringspot virus, in vineyards, determination by ELISA, 1133
Tomato spotted wilt virus
—in cultured peanut cells, 1147
—epidemiology in tomato and pepper, in Georgia, 497
—gloxinia isolate, temperature effect, 1103
—on lettuce, resistance, 1087
—L-strain, storage temperature and infection age, 1106
—management in public gardens, 719
—in mosquito cell culture, antigen retention, 1148
—mycolaminaran-induced resistance, characterization, 637
—nucleocapsid gene, chrysanthemum transformation, 1147
—on peanut, disease progress in two cultivars, 766
—replication in thrip cells, 1087
—resistance to, nucleocapsid protein gene role, 1223, (1227)
—serological detection, 1087
—symptomology in greenhouse ornamentals, 248
—thrip acquisition, midgut barrier, 1333, (1336-1339)
—on tobacco, transplant source of epidemic, 1163
—transmission by *Frankliniella*, 1090
Tomato yellow leaf curl virus, detection using polymerase chain reaction, 1199
Tombusviruses, chimeric, cloned wild-type, RNAs, 1071
Tonkyn, D., 1179
Tooley, P. W., 164, 1140
Toribio, J. A., 611
Torres Leal, G. J., 607
Tortolero, O., 608
Tosa, Y., 728
Tosic, M., 294
*Tospoviruses*, monoclonal antibodies to, monospecific and crossreactive, 1086
Trail, F., 1085, 1150
Trampota, J. D., 498
Trapero-Casas, A., 589, 1261
Travis, J. W., 242
Trese, A. T., 1165
Treshow, M., 1137
Triantaphyllou, A. C., 527
*Trichoderma* spp.
—*T. harzianum*: biolistic transformation, plasmid and genomic DNA, 1077; bioprotectant for wood-staining fungi, factors, 1081; chitinases from, biological effects, 245; chitinolytic enzymes in, molecular cloning, 1077; fusion progeny of, mitochondrial and nuclear genomes, 243; karyotyping of, electrophoresis application, 243
—*T. koningii*: ryegrass take-all suppressed by, using *Pseudomonas*, 1080; take-all suppression by, soil factors, 1120
*Trifolium* spp., virus isolates, relatedness, 1144
Trigiano, R. N., 1116
Trotter, D. B., 1096
Trout, C. L., 500, 1086
Trujillo, E. E., 1076
Trutmann, P., 1120
Tsai, C.-H., 1070
Tsai, H.-F., 496
Tsai, J. H., 216
Tsao, P. H., 1119
Tubajika, K. M., 1131
Tufford, L. A., 247
Turbek, C. S. M., 501
Turfgrass (see also Bentgrass)
—*Acremonium* spp. on, aster leafhopper role, 241
—brown patch and dollar spot, resistant varieties, 497
—clipping recycling effect on disease, 1109
—infrared image analysis, 1122
—plant stress on golf courses, detection with photography and video methods, 498
—Pythium blight of, suppressive bacteria for, 206
—*Rhizoctonia* and *Pythium* on, chemical control, 1070
Turgeon, B. G., 1149
Turner, N. E., 683
Turney, J. K., 1080, 1108
Turnip crinkle virus
—coat protein mutants, virions, conformational differences, 992, 1111
—coat protein and swollen virions, 1177
Turnip yellow mosaic virus, noncoding region of, site suppressor mutation, 1070
Turpen, T. H., 1071
Tuzun, S., 425, 1074, 1100, 1101, 1108, 1109
*Typhula incarnata*, on wheat, antiribosome serums for detection, 896
Tyree, A., 499

Uchida, J. Y., 1090, 1161, 1164
Uddin, W., 1113, 1131
Ueng, P. P., 1151, 1302
Ullman. D. E., 1073, 1087, 1090, 1106, 1333
*Ulocladium cucurbitae*, on cucumber, temperature and fungicide effect on growth and virulence, 358
Umaña, C. H., 611
*Uncinula necator*, transformation by microprojectile bombardment, 247
Unrath, C. R., 1105
Upchurch, R. G., 1150, 1166
Upper, C. D., 1067
Urban, L. A., 1147
Urbina-Reyes, R. N., 247
Uribe, E., 1158
*Uromyces* spp., basidiospore nuclear DNA content, 705
—*U. appendiculatus*: on bean, intercropping effect on, 1051; on bean, nonspecific resistance, 1283, (1285); on bean, sexual and asexual population comparison, 1139; on bean, video images, color digitization, 1162; on navy bean, genetics, 1142; uredinia of, spider mite populations, 718; uredospores, $\beta$-glucuronidase gene introduction, transient expression by particle bombardment, 986, (988); virulence patterns, in Africa and the Americas, 1139
—*U. dianthi*: on carnation, factors, 1078; on carnation, systemic fungicides for, 609
—*U. striatus*, on alfalfa, latent period relation to temperature, model, 1078
Urquhart, E. J., 1109
Usall, J., 1364
*Ustilago* spp.
—*U. deusta*, on oil palm, Central America, 611
—*U. hordei*: DNA probes, specificity, 1144; mating, early steps, 1165; races, isozyme comparison, 1140; *U. nigra* similarity, races, 1123, *1383*
—*U. maydis*, on corn, inoculation methods, 950
Uyemoto, J. K., 1074, 1083, 1089

Vaillancourt, L. J., 1102
Valadez, V. A., 1067
Vali, R. J., 248
Valladolik, A., 611
Vallejo, J., 1172
Valteris, C. S., 1168
Valverde, R. A., 1090, 1103, 1143
Van Alfen, N. K., 1118, 1119
Van Asch, M. A. J., 1330
van Bruggen, A. H. C., 91, 154, 1077, 1079, 1088, 1162
Van Buren, A. M., 1161
Vance, C. P., 1166
Vance, V. B., 1174
Vandemark, G. J., 272, 1174
Vandenberg, B., 1141
van den Heuvel, J. F. J. M., 1110, 1175
van der Kamp, B. J., 1136
van der Zwet, T., 718
Van Deusen, R., 1176
Van Gundy, S. D., 609
Van Haverbeke, D. F., 1117
van Os, B., 1073
van Schalkwyk, D. J., 353
Vargas, E., 609
Vargas, J. M., Jr., 1069
Varley, D. A., 1150
Vaughn, K. M., 1072
Veech, J. A., 1095
Velicheti, R. K., 994, 995
Vendemia, M. E., 1127
Venette, J. R., 992, 1178
Venkatasubbiah, P., 1074
Venter, S. L., 858
*Venturia inaequalis*
—on apple, benomyl-resistant strains, gene mutation, 1348
—ascospore detection, antibody-based diagnostic kit, 1143
—ascospore discharge, factors, 1105
—ascospore release, rain effect, 532
—benomyl resistance in, oligonucleotide probes for, 1354
—pseudothecia and ascospore production, apple cultivar effect, 247
—sporulation on media, 1132
Vercesi, A., 1162
Verdegaal, P. S., 1075, 1133
Vermeulen, H. D., 104
*Verticillium* sp., PCR specificity, annealing temperature effect, 993
—*V. albo-atrum*, on alfalfa, histological resistance, 1141
—*V. dahliae*: on cotton, vegetative compatibility, 1118; on cotton, yield loss and soil inoculum density, 1417; DNA probe for detection, 1145; on potato, irrigation effect, 1448; on potato, model for crop loss, 363; on potato, vegetative compatibility of isolates, 61; on potato, water relations, 1138; soil populations, amendments and antagonists, 1156; terpenoid phytoalexin effect, 1101
—*V. lecanii*, conidial production, 1168
Vesonder, R. F., 1145
Vickstrom, T. E., 1127
*Vigna* spp.
—*V. angularis, Phialophora gregata* isolates on, mitochondrial DNA restriction patterns, 211, (213)
—*V. radiata, Fusarium solani* on, root infection, nutrient solution factors, 1311
Vilchez, M., 609
Vilgalys, R., 1114
Villalobos, V., 608
Villalon, B., 611, 1094
Villalon, D. K., 1119
Vincelli, P. C., 497
Vincent, J. R., 1175
Viruses
—apple and stone fruit, relation, 1149

—beetle-transmitted, circulation in vectors, 946
—conformational changes in, agarose gel electrophoresis for, 803
—on fruit and nut trees, ELISA for detection, 1089
—geminivirus, whitefly-transmitted: diseases in Dominican Republic and Puerto Rico, 607; macrotubule induced, role in cell-to-cell movement, 664, (665-668)
Vogler, D. R., 1097
Voisard, C., 190, 1109
Voloudakis, A. E., 1126
von Broembsen, S. L., 1171
Vonder Haar, R., 1175
Vongasasitorn, D., 491

Waddell, C. A., 1130
Wagner, R. E., 1180
Wai, T., 1173
Wakeman, R. J., 1084, 1093, 1115
Walgenbach, J. F., 1105
Walker, A., 1133
Walker, J. T., 1160
Walker, S. K., 721
Walkinshaw, C. H., 501, 1096, 1136
Wall, G. C., 1106
Wall, M. M., 1064, 1155
Wall, R. E., 1154
Walla, J. A., 1134
Walnut, witches'-broom, mycoplasmalike organism association, DNA cloning, 306
Walter, J. F., 230
Walter, M. H., 412, 995, 1103, 1175
Walton, J. D., 1100
Wang, C. J. K., 114
Wang, M., 1087, 1090, 1223
Wang, Q., 1066
Wang, R. Y., 946, 1148
Wang, W. Y., 1136
Wang, Y., 1126
Wang, Z. G., 1134
Ward, B. L., 1085
Ward, C. W., 294, 923
Wargo, P. M., 1151, 1152
Warkentin, D. S., 1102, 1111
Warren, H. L., 720, 1097
Warwar, V., 1064
Wasilwa, L., 501
Wasson, D. I., 248
Watermelon
—Fusarium wilt: race 2 resistant, 290; soil suppressiveness, 498
Watermelon mosaic virus
—aphid acquisition, plant age effect, 1173
—soybean mosaic virus compared to WMV 2, 294
—transmission by aphids, 235
Watermelon mosaic virus II, coat protein gene of, transgenic plants, 940
Waters, C. M., 1072
Watson, A. K., 1081
Watson, M. T., 1073
Weaver, A. M., 1088
Weaver, C. F., 1069, 1095
Weaver, M. J., 1083
Webb, S. E., 1173
Weber, E., 1133
Webster, R. K., 170, 407, 798
Wei, G., 1108, 1109, 1177
Weicht, T. R., 520, 1145
Weinhold, A. R., 61, 1098
Weissinger, A. K., 1074, 1176
Weldekidan, T., 721
Weller, D. M., 178, 1080, 1120
Welliver, R. A., 721
Wells, J. M., 1160
Welty, R. E., 501
Wen, A.-M., 739
Wen, Y., 1063
Wendler, P., 1150
Wenner, N. G., 244, 246, 248
Wergin, W. P., 1169
Wesenberg, D. M., 1166
Westcot, D. M., 1087, 1333
Westcott, S. W., III, 497, 936
Westerstrahle, K., 1100
Westhuizen, I. P. v.d., 1135
Westra, A. A. G., 1067, 1161, 1193
Wheat
—bacterial stripe: resistance, 1113; resistance, field and growth chamber comparisons, 1130
—*Bipolaris* and *Fusarium* subcrown internode infection, conservation tillage effect, 699
—common root rot, rhizobacterial suppression, 1120
—cultivar mixtures, stripe rust, yield, and plant competition, 905
—diseases of, crop management in Oregon, 1131
—durum, stem rust resistance, genetic analysis, 919
—flag smut, quarantine effectiveness, 1113
—flame chlorosis of, cytological alterations, 815, (816-819)
—*Fusarium graminearum* on: deoxynivalenol and resistance, 1167; infection and water stress, 78
—Genetics Resource Center, germ plasm conservation, 994
—glume blotch, RFLP maps, genetic variations, 1302
—leaf rust: epidemic and fitness components, 1161; model for disease estimation, 184
—physiologic leaf spot, crop management, 1113
—powdery mildew: epidemiology, 993; tiller and yield relation, survival, 1273
—Pythium root rot, bacterial seed treatments, 1128
—resistance to rust, viruses, and tan spot, near-isolines, 1094
—rhizobacteria, yield effect, 1171
—*Rhizoctonia* winter-kill, environmental factors, 1114
—root diseases of, nitrates after harvest, severity relation, 1113
—root rot, fungi in Nile Valley, Egypt, 1106
—scab, bromoconazole for control, 1068
—seed quality, emergence and yield affected by, 1072
—*Septoria* spp.: identification, DNA hybridization, 1151; on, in Oregon, 1131
—*Septoria nodorum*, resistance, 1142
—Septoria nodorum blotch, resistance components, 1141
—*Septoria tritici* on, pathogenic variability, 1113
—Septoria tritici blotch of, carbohydrate partition, 1074
—Septoria tritici blotch and leaf rust on, HCN in suppression, 1109
—snow mold fungi, immunological methods for detection, 896
—stripe rust: adult plant resistance, gene *Lr34*, 835; pandemic patterns, detection, 571; resistance, 1140; resistance inheritance and races in North America, 633, 1428
—take-all of, *Gliocladium* and fungicides for, 1129
—tan spot, Ptr-necrosis toxin, antibody inactivation, 1131; residue and wetness factors, 1434
—winter-kill, fungicides and biological agent for control, 990
Wheat soilborne mosaic virus
—resistance: evaluation using polymerase chain reaction, 1147; temperature dependent, 1087
Wheat spindle streak mosaic virus
—coat protein, detection and symptoms, 1147
—yield effect in New York, 852
Wheatley, E., 1073
Wheeler, T. A., 1093
Whisson, S. C., 863
White, D. G., 990, 991, 1146
White, F. F., 1125
White clover (see also Clover)
—clone response to peanut stunt virus and ozone, 254
—leaf spot of, factors and incidence in North Carolina, 499
—leaf spot complex, pathogen incidence and association, 1013
—spider mites of, ozone effect, 1099
White lupin mosaic potyvirus, occurrence and ecology, 1104
White lupin mosaic virus, host range, serology, and coat protein peptide profiles, 566
White pine (see Pine, white)
Whitehead, M., 1165
Whitney, N. G., 1069
Whittaker, L. A., 923
Whittington, D. P., 719
Wicks, Z. W., III, 142, 225
Wiersma, J. V., 699
Wiglesworth, M. D., 501
Wijey, C., 243
Wilcox, W. F., 248, 1121
Wild rice, brown spot, propiconazole for control, 1068
Wilhelm, K. M., 1143, 1145
Wilkinson, D. R., 1172
Wilkinson, H. T., 1106, 1122
Wilks, D. S., 247
Willey, J. J., 1143
Williams, J., 1145
Williams, J. L., 1095
Williams, R. J., 722
Williamson, V. M., 512
Willis, D. K., 1067
Wilson, A. D., 1136
Wilson, D. O., Jr., 1069
Wilson, G. E., 1121
Wilson, J. H., 1075
Wilson, J. P., 501, 839, 1141, 1160
Wilson, L. L., 332
Wilson, M., 914, 1125, 1153, 1179
Wilson, T. E., 1095
Windels, C. E., 699, 994, 995, 1088, 1143
Winder, R. S., 1155
Windes, J. M., 995, 1141
Windham, M. T., 1116
Windom, G. E., 1085, 1132
Wingfield, M. J., 1117, 1135, 1440
Winter, S., 869, 1071, 1144
Winterbottom, C. Q., 1084, 1093
Wintermantel, W. E., 1110
Winters, S. A., 1172
Wisler, G. C., 1090, 1110, 1176
Wolf, T. K., 1083
Wolfe, M. S., 1167
Woloshuk, C. P., 1077
Woloshuk, S. L., 1176
Wolpert, T. J., 244
Wong, S. M., 722
Woo, S., 243
Wood, D. A., 1114
Wood, J. I., 1170
Wood, knots and rots, magnetic resonance imaging, 1137
Wood logs and log products, pest risk analysis in importation, 1135
Woodward, R. P., 1164

Workneh, F., 1088
Worrall, J. J., 1152
Wright, T. S., 1063
Wu, M., 722
Wyatt, J. E., 1092
Wyatt, S. D., 412, 1103
Wyatt, S. E., 580

*Xanthium occidentale*, rust of, factors, 1443
*Xanthomonas* spp.: dry root rot of, etiology in Puerto Rico, 610; species diversity, cellular fatty acid analysis, 1153; species and pathovar identification, amplified DNA fragments, 1100
—*X. campestris*: on *Anthurium*, monoclonal antibody tests for strains, 677; on Araliaceae, characterization, 1066; on aroids, characterization, factors, 754; on aroids, genomic fingerprinting, 1124; avirulence genes, functional analysis, 1167; on *Brassica*, systemic movement factor, 1118; on cabbage, bioluminescent transconjugant, 1177; on cabbage, immunodetection in guttation fluid, 1154; on citrus, autocorrelation analysis, in Argentina, 843; on citrus, detection using polymerase chain reaction, 1106; on citrus, fruit susceptibility, 452; on citrus, leaf surface populations of strains, 625; on citrus, pathotypes, plasmid DNA fingerprints, 485; on citrus, stomatal inoculation, 1078; on citrus, stomatal inoculation device, 930, 1078; on citrus, stomatal penetration, cultivar characteristics, 1319, (1320); copper-inducible promoter, strain, 1126; copper-resistant genes, cloning, 1125; on cotton, race distribution and variation, 1076; debris effect on cabbage infection, 246; detection using miniplate system, 1177; DNA homology group 6, identification using quinate metabolism, 971; on geranium, diversity determinations, 1066; microecology, bioluminescence, 1178; serological markers, 1178; on walnut, copper bactericides for, 1068
—*X. oryzae*: on rice, cultivar reaction, 1153; on rice, *hrp* gene cluster, 1125; on rice, infection types, 1076; serogroups of, monoclonal antibody for detection, 1144; strains, isozyme comparison, 1067
Xia, J. Q., 1124
Xie, W. P., 1063
Xu, J.-R., 1150
Xu, M. Q., 1090
Xu, X.-H., 739
Xue, B., 1112
Xue, G., 248
*Xylella fastidiosa*
—on grape, protease production, 1094
—on shingle oak, new host, 498
—strains, genetic variation, 973

Yahata, P. S., 1129
Yahyaoui, A. H., 1102
Yalpani, N., 242
Yan, K. Y., 1149
Yan, Z. H., 1077
Yang, C. H., 1080, 1108, 1128
Yang, H. A., 1140, 1151, 1164
Yang, S. M., 1129
Yang, X., 279, 332
Yang, X. B., 184, 380, 501, 571, 1079, 1162, 1219
Yang, Y., 1167
Yao, J., 1174
Yates, I. E., 1166
Ye, X. S., 119
Yocum, J. A., 1179
Yoder, O. C., 1149
Yohalem, D. S., 248
Yokomi, R. K., 611
Yoon, C. S., 995, 1123
Young, R. J., 719, 721, 1112
Young, S., 1120, 1171
Yourman, L. F., 1178
Youtsey, C. O., 611
Yu, M. H., 294
Yu, Y., 1126
Yuan, C. Y., 1090
Yuan, Y., 246
Yucel, I., 1099
Yudin, L. S., 1106
Yunis, H., 1134

Zabalgogeazcoa, I. A., 249, 722
Zablotowicz, R. M., 1067, 1099, 1177, 1178
Zadoks, J. C., 1288
Zambino, P. J., 1142
Zamir, D., 1199
Zawolek, M. W., 1288
Zehr, E. I., 497, 1146
Zeidan, M., 1199
Zelikovitch, N., 275
Zeng, S. M., 571
Zeng, Y., 1126
Zeringue, H. J., Jr., 1137
Zettler, F. W., 807, 1090
Zeyen, R. J., 1127
Zhang, L., 1118, 1119
Zhang, P. G., 249
Zhang, Q., 798
Zhang, W., 1434
Zhang, Y. P., 249, 1074, 1149
Zhang, Y. Y., 1085
Zheng, J., 248
Zhou, H., 1110
Zhou, T., 1080, 1109
Zilberstein, A., 1085
Zilberstein, Z., 1109
Zimmerman, S. A., 995
Zimmerman, W. C., 1065, 1150
Zinnen, T. M., 637
Zitko, S. E., 611
Zitter, T. A., 358
Zook, M., 1085
Zoysiagrass, patch disease, associated fungi, 1123
Zucchini yellow mosaic virus
—cross protection, in Hawaii, 1073
—plant and vector interaction, factors, 1090
—potyviral helper component, aphid interaction, 1176
—potyvirus protection, coat protein, 1176
—protection against six potyviruses, 940
—protein antigenic and size heterogeneity, 1110
—reunion isolate, sequence analysis, 1176
—Singapore isolate, coat protein gene, 722
—transmission by aphids, 235
Zuckerman, E., 1074
Zummo, N., 1072
Zwer, P. K., 1113